

PETERS

AMMUNITION RETAIL PRICE LIST



including 11% U. S. Excise Tax
EFFECTIVE JANUARY 10, 1962

with
RUSTLESS PRIMING

(Subject to change without notice)

PETERS "HIGH VELOCITY" 12-16-20 GAUGE PLASTIC SHELLS NOW FOR SALE AT SAME PRICE AS PAPER SHELLS

16 AND 20 GAUGE PLASTIC SHELLS ADDED
TO POWERFUL PETERS "HIGH VELOCITY" LINE
EXTRA LONG RANGE SHOTGUN SHELLS.

10-28-410 GAUGE SHELLS SUPPLIED WITH
PAPER BODY ONLY. "PS" LOAD NUMBER
IDENTIFIES PLASTIC SHELLS.

Index No.	Gauge	Length Shell Inches	Powder Equiv. Drams	Ozs. Shot	Standard Shot Size	Retail Per Box	
						Zones 1-2-3-4	Zone 5

PETERS "HIGH VELOCITY" SHOTGUN SHELLS

100	10 Ga.	2 $\frac{3}{8}$	4 $\frac{3}{4}$	1 $\frac{5}{8}$	2, 4,	\$4.25	\$4.30
†RX 10	10 Ga.	2 $\frac{7}{8}$	8	Blank	3.50	3.55
PS 12	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	1 $\frac{1}{4}$	BB, 2, 4, 5, 6, 7 $\frac{1}{2}$, 9 ..	3.50	3.55
120	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	1 $\frac{1}{4}$	BB, 2, 4, 5, 6, 7 $\frac{1}{2}$, 9 ..	3.50	3.55
PS 16	16 Ga.	2 $\frac{3}{4}$	3	1 $\frac{1}{8}$	2, 4, 5, 6, 7 $\frac{1}{2}$, 9	3.20	3.25
†† 150	16 Ga.	2 $\frac{9}{16}$	3	1 $\frac{1}{8}$	2, 4, 5, 6, 7 $\frac{1}{2}$	3.20	3.25
160	16 Ga.	2 $\frac{3}{4}$	3	1 $\frac{1}{8}$	4, 5, 6, 7 $\frac{1}{2}$	3.20	3.25
PS 16X	16 Ga.	2 $\frac{3}{4}$	3 $\frac{1}{4}$	1 $\frac{1}{8}$	4, 5, 6, 7 $\frac{1}{2}$	3.25	3.30
170	16 Ga.	2 $\frac{3}{4}$	3 $\frac{1}{4}$	1 $\frac{1}{8}$	2, 4, 5, 6, 7 $\frac{1}{2}$, 9	3.25	3.30
PS 20	20 Ga.	2 $\frac{3}{4}$	2 $\frac{3}{4}$	1	2, 4, 5, 6, 7 $\frac{1}{2}$, 9	3.05	3.10
200	20 Ga.	2 $\frac{3}{4}$	2 $\frac{3}{4}$	1	4, 5, 6, 7 $\frac{1}{2}$, 9	3.05	3.10
280	28 Ga.	2 $\frac{3}{4}$	2 $\frac{1}{4}$	$\frac{3}{4}$	4, 6, 7 $\frac{1}{2}$, 9#	3.15	3.20
4190	410 Ga.	2 $\frac{1}{2}$	$\frac{1}{2}$	4, 5, 6, 7 $\frac{1}{2}$, 9#	2.35	2.40
4130	410 Ga.	3	$\frac{3}{4}$	4, 5, 6, 7 $\frac{1}{2}$, 9#	2.75	2.80

PETERS "HIGH VELOCITY" MAGNUM LOADS

†RX 10 Mag.	10 Ga.	3 $\frac{1}{2}$	5	2	BB, 2, 4, mag.	7.25	7.30
PS 12 Mag.	12 Ga.	3	4 $\frac{1}{4}$	1 $\frac{3}{8}$	BB, 2, 4, 5, 6, mag. ...	4.40	4.45
9170 Mag.	12 Ga.	3	4 $\frac{1}{4}$	1 $\frac{3}{8}$	BB, 2, 4, 5, 6, mag. ...	4.40	4.45
PS 12S Mag.	12 Ga.	2 $\frac{3}{4}$	4	1 $\frac{1}{4}$	2, 4, 5, 6, 7 $\frac{1}{2}$, mag. ...	4.00	4.05

Index No.	Gauge	Length Shell Inches	Powder Equiv. Drams	Ozs. Shot	Standard Shot Size	Retail Per Box	
						Zones 1-2-3-4	Zone 5

PETERS "HIGH VELOCITY" RIFLED SLUG LOADS

PS 12RS	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	1	Rifled Slug	\$5.25	\$5.30
120RS	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	1	Rifled Slug	5.25	5.30
PS 16RS	16 Ga.	2 $\frac{3}{4}$	3	$\frac{7}{8}$	Rifled Slug	5.00	5.05
160RS	16 Ga.	2 $\frac{9}{16}$	3	$\frac{7}{8}$	Rifled Slug	5.00	5.05
PS 20RS	20 Ga.	2 $\frac{3}{4}$	2 $\frac{3}{4}$	$\frac{5}{8}$	Rifled Slug	4.80	4.85
200RS	20 Ga.	2 $\frac{1}{2}$	2 $\frac{3}{4}$	$\frac{5}{8}$	Rifled Slug	4.80	4.85
280RS	28 Ga.	2 $\frac{3}{4}$	2 $\frac{1}{4}$	$\frac{1}{2}$	Rifled Slug	4.90	4.95
410RS	410 Ga.	2 $\frac{1}{2}$	$\frac{3}{8}$	Rifled Slug	4.50	4.55

PETERS "VICTOR" SHOTGUN SHELLS

5110	12 Ga.	2 $\frac{3}{4}$	3	1	4, 5, 6, 8	2.75	2.80
5140	12 Ga.	2 $\frac{3}{4}$	3	1 $\frac{1}{8}$	4, 5, 6, 8, 9	2.90	2.95
5160	12 Ga.	2 $\frac{3}{4}$	3 $\frac{1}{4}$	1 $\frac{1}{8}$	4, 5, 6, 7 $\frac{1}{2}$, 8, 9	2.95	3.00
7170	12 Ga.	2 $\frac{3}{4}$	3 $\frac{1}{4}$	1 $\frac{1}{4}$	7 $\frac{1}{2}$, 8	3.10	3.15
††5530	16 Ga.	2 $\frac{9}{16}$	2 $\frac{1}{2}$	1	4, 5, 6, 8, 9	2.60	2.65
5560	16 Ga.	2 $\frac{3}{4}$	2 $\frac{3}{4}$	1 $\frac{1}{8}$	4, 5, 6, 7 $\frac{1}{2}$, 8, 9	2.75	2.80
5730	20 Ga.	2 $\frac{3}{4}$	2 $\frac{1}{4}$	$\frac{7}{8}$	4, 5, 6, 8, 9	2.45	2.50
5740	20 Ga.	2 $\frac{3}{4}$	2 $\frac{1}{2}$	1	4, 5, 6, 7 $\frac{1}{2}$, 8, 9	2.65	2.70

PETERS "VICTOR" SPREADER LOADS

130S Mag.	12 Ga.	2 $\frac{3}{4}$	4	1 $\frac{1}{2}$	4, 6, mag.	4.00	4.05
PS 12H Mag.	12 Ga.	3	4 $\frac{1}{2}$	1 $\frac{3}{8}$	BB, 2, 4, 5, mag.	4.75	4.80
140H Mag.	12 Ga.	3	4 $\frac{1}{2}$	1 $\frac{3}{8}$	BB, 2, 4, mag.	4.75	4.80
PS 16C Mag.	16 Ga.	2 $\frac{3}{4}$	3 $\frac{1}{2}$	1 $\frac{1}{4}$	2, 4, 6, mag.	3.50	3.55
180S Mag.	16 Ga.	2 $\frac{3}{4}$	3 $\frac{1}{2}$	1 $\frac{1}{4}$	2, 4, 6, mag.	3.50	3.55
PS 20S Mag.	20 Ga.	2 $\frac{3}{4}$	3	1 $\frac{1}{8}$	2, 4, 6, 7 $\frac{1}{2}$, mag.	3.20	3.25
190S Mag.	20 Ga.	2 $\frac{3}{4}$	3	1 $\frac{1}{8}$	2, 4, 6, 7 $\frac{1}{2}$, mag.	3.20	3.25
PS 20H Mag.	20 Ga.	3	3 $\frac{1}{4}$	1 $\frac{1}{4}$	2, 4, 6, 7 $\frac{1}{2}$, mag.	3.55	3.60
190H Mag.	20 Ga.	3	3 $\frac{1}{4}$	1 $\frac{1}{4}$	2, 4, 6, 7 $\frac{1}{2}$, mag.	3.55	3.60

PETERS "HIGH VELOCITY" MAGNUM BUCKSHOT LOADS

PS 12S Mag.	12 Ga.	2 $\frac{3}{4}$	4	00 Buck-12 Pellets	4.75	4.80
130S Mag.	12 Ga.	2 $\frac{3}{4}$	4	00 Buck-12 Pellets	4.75	4.80
PS 12H Mag.	12 Ga.	3	4 $\frac{1}{2}$	00 Buck-15 Pellets	5.45	5.50
140H Mag.	12 Ga.	3	4 $\frac{1}{2}$	00 Buck-15 Pellets	5.45	5.50
PS 12H Mag.	12 Ga.	3	4 $\frac{1}{2}$	4 Buck-41 Pellets	5.45	5.50

PETERS "HIGH VELOCITY" BUCKSHOT LOADS

PS 12BK	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	0 Buck-12 Pellets	4.20	4.25
X340	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	0 Buck-12 Pellets	4.20	4.25
PS 12BK	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	00 Buck- 9 Pellets	4.20	4.25
X3400	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	00 Buck- 9 Pellets	4.20	4.25
PS 12BK	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	1 Buck-16 Pellets	4.20	4.25
X341	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	1 Buck-16 Pellets	4.20	4.25
PS 12BK	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	4 Buck-27 Pellets	4.20	4.25
X344	12 Ga.	2 $\frac{3}{4}$	3 $\frac{3}{4}$	4 Buck-27 Pellets	4.20	4.25
PS 16BK	16 Ga.	2 $\frac{3}{4}$	3	1 Buck-12 Pellets	4.20	4.25
X351	16 Ga.	2 $\frac{3}{8}$	3	1 Buck-12 Pellets	4.20	4.25
PS 20BK	20 Ga.	2 $\frac{3}{4}$	2 $\frac{3}{4}$	3 Buck-20 Pellets	4.20	4.25
X363	20 Ga.	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3 Buck-20 Pellets	4.20	4.25

PETERS "VICTOR" SPREADER LOADS

6140SPDR	12 Ga.	2 $\frac{3}{8}$	3	1 $\frac{1}{8}$	8	3.05	3.10
6540SPDR	16 Ga.	2 $\frac{9}{16}$	2 $\frac{1}{2}$	1	8	2.75	2.80
6730SPDR	20 Ga.	2 $\frac{1}{2}$	2 $\frac{1}{4}$	$\frac{7}{8}$	8	2.60	2.65

PETERS "VICTOR" TARGET LOADS

7160	12 Ga.	2 $\frac{3}{4}$	3	1 $\frac{1}{8}$	7 $\frac{1}{2}$, 8, 9	2.90	2.95
Maximum load for Registered Shoots is 3drs. 1 $\frac{1}{8}$ oz. shot.							
7120	12 Ga.	2 $\frac{3}{4}$	2 $\frac{3}{4}$	1 $\frac{1}{8}$	7 $\frac{1}{2}$, 8, 9	2.90	2.95
7539	16 Ga.	2 $\frac{3}{4}$	2 $\frac{1}{2}$	1	9	2.60	2.65
7739	20 Ga.	2 $\frac{3}{4}$	2 $\frac{1}{4}$	$\frac{7}{8}$	9	2.45	2.50

PETERS "HIGH VELOCITY" TARGET LOADS

289	28 Ga.	2 $\frac{3}{4}$	2 $\frac{1}{4}$	$\frac{3}{4}$	9	3.15	3.20
7199	410 Ga.	2 $\frac{1}{2}$	$\frac{1}{2}$	9	2.35	2.40
7139	410 Ga.	3	$\frac{3}{4}$	9	2.75	2.80

† Remington Brand

All loaded shells packed 25 to a carton — 500 to the case.

‡ 410 Ga. and 28 Ga. with No. 9 Shot are marked "Target Load" and are known as Load Numbers 289, 7199 and 7139.

†† Only for 16 gauge guns having 2 $\frac{9}{16}$ " chambers.

FAIR TRADE

The retail prices shown herein on loaded shotgun shells and loaded metallic cartridges have been established as minimum Fair Trade prices in all states having Fair Trade laws in effect. This price list constitutes the notice provided for in all Peters Fair Trade agreements.

PETERS CARTRIDGE DIVISION

REMINGTON ARMS COMPANY, INC., BRIDGEPORT 2, CONNECTICUT
BRANCH WAREHOUSE — 3401 CHOUTEAU AVE., ST. LOUIS 3, MO.

PETERS RIM FIRE CARTRIDGES

**PETERS "HIGH VELOCITY" RUSTLESS
MAXIMUM POWER — HIGHEST SPEED**

Index No.		No. In Box	Retail Per Box
2265	22 Short, Thunderbolt	28	\$.37
2267	22 Short,	50	.65
2268	22 Short, H.P.	50	.75
2269	22 Long,	50	.70
2283	22 Long Rifle,	50	.80
2284	22 Long Rifle, H.P.	50	.90
2291	22 W.R.F. (Rem. Spc.)	50	2.00

H.P.—Hollow Point

PETERS SPECIAL MATCH CARTRIDGES

2226	22 Long Rifle, Match, for Rifles	50	1.25
2228	22 Long Rifle, Match, for Pistols	50	1.25

PETERS SHOT CARTRIDGES RIM FIRE

2299	22 Long Rifle, H.V.	50	1.50
------	--------------------------	----	------

PETERS STANDARD VELOCITY

Index No.		No. In Box	Retail Per Box
2204	22 Short Gallery K.B.	250	\$ 3.25
2205	22 Short Gallery Improved K.B.	250	3.25
2206	22 Short Gallery K.B.	50	.65
2214	22 Short, "Target"	50	.65
2224	22 Long Rifle, "Target"	50	.80
2237	22 Win. Automatic	50	2.00
3203	32 Short	50	2.40

K.B.—Krumble Ball

PETERS BLANK CARTRIDGES

LOADED WITH A SPECIAL POWDER INSURING A LOUD REPORT

2249	22 Short	50	.75
3297	32 S & W	50	3.25
3894	38 S & W	50	3.35
3895	38 Special	50	4.60
† 9005	5 in 1 Blank	50	7.50

(For use in 38/40 and 44/40 Rifles and 38/40, 44/40 and 45 Colt Revolvers)

PETERS CENTER FIRE CARTRIDGES

"RUSTLESS" PRIMING

Index No.	Size	Bullet		No. In Box	Retail Per Box
		Wt. Grs.	Style		
†0218	218 Bee	46	Mush. H.S.	50	\$ 6.90
†0219	219 Zipper	56	Mush. H.S.	20	3.60
2210	22 Rem "Jet" Mag.	40	S.P. H V	50	6.50
†0822	220 Swift	48	S.P. H.S.	20	3.85
2244	222 Rem.	50	S.P. H V	20	3.15
†0922	222 Rem.	50	M.C. H.S.	20	3.15
2246	222 Rem. Mag.	55	S.P. H V	20	3.45
2274	22 Hornet	45	M.C.H.P. HV	50	6.70
2276	22 Hornet	45	S.P. H V	50	6.70
2431	243 Win	80	PT. S.P. HV	20	4.30
2432	243 Win	100	I.B. PT. S.P. HV	20	4.30
2441	244 Rem	75	PT. S.P. HV	20	4.30
2442	244 Rem.	90	PT. S.P. HV	20	4.30
3046	30-40 Krag	180	I.B.S.P. H V	20	4.75
3047	30-40 Krag	220	I.B.S.P. H V	20	4.75
3051	30-40 Krag	180	I.B. PT. S.P. HV	20	4.75
†6630	30-06 Spfd.	110	PT. S.P. H.S.	20	4.75
3025	30-06 Spfd	125	Pt. S.P. H V	20	4.75
3033	30-06 Spfd	150	I.B. PT. S.P. HV	20	4.75
3038	30-06 Spfd	220	I.B.S.P. H V	20	4.75
3039	30-06 Spfd	180	I.B. PT. S.P. HV	20	4.75
3056	30-06 Spfd	180	I.B.S.P. H V	20	4.75
3077	30-06 Spfd	150	P.P. Exp. H V	20	4.75
3080	30-06 Spfd	180	P.P. Exp. H V	20	4.75
3079	30-06 Spfd	180	M.C. T.H.	20	6.05
3019	300 Savage	150	I.B.S.P. H V	20	4.60
3021	300 Savage	180	I.B.S.P. H V	20	4.60
3023	300 Savage	180	I.B. PT. S.P. HV	20	4.60
3024	300 Savage	150	I.B. PT. S.P. HV	20	4.60
3084	300 Savage	150	P.P. Exp. H V	20	4.60
3592	35 Rem.	150	I.B. PT. S.P. HV	20	4.30
3594	35 Rem.	200	I.B.H.P. H V	20	4.30
3575	357 Mag.*	158	Lead H V	50	5.45
†8835	357 Mag.	158	M.P. H.S.	50	6.20
3751	375 H & H Mag.	270	S.P. H V	20	6.50
3752	375 H & H Mag.	300	M.C. H V	20	6.50
3651	9 mm. Luger*	124	M.C.	50	6.00
3853	380 Auto.* (9 mm.)	95	M.C.	50	4.90
3851	38 Auto.* (Reg. A)	130	M.C.	50	5.10
3849	38 Super* Auto. (B)	130	M.C.	50	5.10
3822	38 S & W*	146	Lead	50	4.50
3810	38 Special	110	Spc MP H V	50	5.85

2443	244 Rem.	90	P.P. Exp. HV	20	4.30	3084	300 Savage	150	P.P. Exp. HV	20	4.60	3810	38 Special	110	Spc MPH V	50	5.85
2552	25-20 Win	86	Lead	50	5.35	3028	300 H & H	180	I.B. PT. S.P. HV	20	6.00	3826	38 Special*	158	Met. Pt.	50	5.70
2553	25-20 Win	86	S.P.	50	5.90	3029	300 H & H	220	I.B.S.P. HV	20	6.00	3841	38 Special*	200	Lead	50	4.80
2555	25-20 Win	60	M.C.H.P. HV	50	6.25	†7730	300 H & H	180	M.C. T.H.	20	7.45	3842	38 Special				
2562	25 (6.35 mm.) Auto	50	M.C.	50	4.20	3035	303 Savage	180	I.B.S.P. HV	20	4.05		(38-44)	158	Lead HV	50	5.10
†5425	257 Rob.	100	PT. S.P.C.L.	20	4.45	3085	303 British	215	S.P.	20	4.75	3844	38 Special*	158	Lead	50	4.60
2584	257 Rob.	117	I.B.S.P. HV	20	4.45	3095	303 British	180	I.B. S.P. HV	20	4.75	†6238	38 Special*	158	TM RN Lead	50	4.70
2582	25-35 Win	117	I.B.S.P. HV	20	3.70	3086	308 Win.	110	PT. S.P. HV	20	4.75	3847	38 Special*	148	Lead PM WC	50	4.80
2568	250 Savage	100	I.B.S.P. HV	20	4.00	3087	308 Win.	150	I.B. PT. S.P. HV	20	4.75	3831	38 Colt NP*	150	Lead	50	4.50
2570	250 Savage	100	I.B. PT. S.P. HV	20	4.00	3088	308 Win.	180	I.B. PT. S.P. HV	20	4.75	3833	38 Short Colt*	125	Lead	50	4.05
2572	250 Savage	87	S.P. HV	20	4.00	3089	308 Win.	180	I.B. S.P. HV	20	4.75	3835	38 Long Colt*	150	Lead	50	4.50
2641	264 Win. Mag.	100	I.B. PT. S.P. HV	20	5.85	3102	8mm Mauser	170	I.B.S.P.	20	4.75	3856	38-40 Win.	180	S.P.	50	7.85
2642	264 Win. Mag.	140	I.B. PT. S.P. HV	20	5.85	†8808	8mm Lebel	170	S.P. H S	20	5.40	3872	38-55 Win.	255	S.P.	20	4.20
2701	270 Win.	100	PT. S.P. HV	20	4.75	3262	32 S & W*	88	Lead	50	3.65	4154	41 Long Colt*	195	Lead	50	5.25
2702	270 Win.	150	I.B.S.P. HV	20	4.75	3265	32 S & W, Long*	98	Lead	50	3.85	4410	44 Rem. Mag. Gas Check*	240	Lead	50	8.10
2704	270 Win.	130	P.P. Exp. HV	20	4.75	3252	32 Short Colt*	80	Lead	50	3.65	4411	44 Rem. Mag.*	240	S.P.	50	8.35
2705	270 Win.	130	I.B. PT. S.P. HV	20	4.75	3254	32 Long Colt*	82	Lead	50	3.85	4412	44 Rem. Mag*	240	S.P.	20	3.35
2810	280 Rem.	125	I.B. PT. S.P. HV	20	4.75	3256	32 Colt NP	100	Lead	50	3.85	4405	44 S & W Spc.*	246	Lead	50	6.15
2811	280 Rem.	150	I.B. PT. S.P. HV	20	4.75	3260	32 Auto (7.65mm)*	71	M.C.	50	4.80	4409	44-40 Win.	200	S.P.	50	8.25
2812	280 Rem.	165	I.B. S.P. HV	20	4.75	3269	32-20 Win.	100	Lead	50	5.35	4502	45 Colt*	250	Lead	50	6.15
2813	280 Rem.	100	P.P. Exp. HV	20	4.75	3270	32-20 Win.	100	S.P.	50	6.60	4504	45 Auto.*	230	M.C.	50	6.55
2801	7mm. Mau.	175	S.P.	20	4.75	3272	32-20 Win.	80	M.C.H.P. HV	50	7.15	4507	45 Auto.*	185	M.C. PM WC	50	6.80
7712	7mm Rem. Mag.	150	I.B. PT. S.P. HV	20	5.85	3278	32 Win Spc	170	I.B.H.P. HV	20	3.85	†6845	45 Auto.*	230	T.M. M.C.	50	6.90
7713	7mm Rem. Mag.	175	I.B. S.P. HV	20	5.85	3279	32 Win Spc	170	I.B.S.P. HV	20	3.85	4506	45 Auto. Rim*	230	Lead	50	6.55
†0230	30 (7.63 mm) AP Mauser	85	M.C. O.P.	50	5.75	3292	32 Rem.	170	I.B.S.P. HV	20	3.85	4553	45-70 Gov't.	405	S.P.	20	5.00
3052	30 Luger (7.65 mm.)	93	M.C.	50	5.75	3288	32-40 Win	165	S.P.	20	3.70	4581	458 Win. Mag.	510	S.P. HV	20	7.95
3043	30-30 Win	170	I.B.H.P. HV	20	3.75	3481	348 Win.	150	S.P. HV	20	5.65	4582	458 Win. Mag.	500	M.C. HV	20	12.15
3044	30-30 Win	150	I.B.S.P. HV	20	3.75	3484	348 Win.	200	I.B.S.P. HV	20	5.65						
3058	30-30 Win	170	I.B.S.P. HV	20	3.75	3585	351 Win. S L	180	S.P.	50	8.05						
3064	30-30 Win	160	M.C. HV	20	3.75	3586	351 Win. S L	177	M.C.	50	8.05						
3054	30 Rem.	170	I.B.S.P. HV	20	3.75	3589	35 Rem.	200	I.B.S.P. HV	20	4.30						

† Remington Brand

Reg. A—Adapted for Colt Military and Pocket Model Automatic Arms

B—Adapted for Colt Super Automatic Arms

S.P.—Soft Point

M.C.—Metal Case

I.B.S.P.—Inner Belted Soft Point

I.B.H.P.—Inner Belted Hollow Point

T.M. R.N.—Targetmaster Round-Nose

O.P.—Oil Proof

P.P. Exp.—Protected Point Expanding

H.S.—Hi-Speed

PT.—Pointed

C.L.—Core-Lokt

* "Oil-Tite"

H.V.—High Velocity

M.C.H.P.—Metal Case Hollow Point

Spc.—Special

M.P.—Metal Penetrating

H.P.—Hollow Point

N.P.—New Police

T.H.—Taper Heel

PT. S.P.—Pointed Soft Point

W.C.—Wad Cutter

P.M.—Police Match

MET.PT.—Metal Point

T.M.—Targetmaster

"Victor," "Target," "Krumble Ball" and "Thunderbolt" are Reg. U.S. Pat. Off. and "High Velocity," "Highway Patrol," "Inner Belted," "Police Match," "Rustless" are trade-marks of Peters Cartridge Division, "Core-Lokt" is Reg. U.S. Pat. Off. and "Hi-Speed" is a trade-mark of Remington Arms Company, Inc., Bridgeport 2, Conn.