



PETERS



SPORTING AMMUNITION


FOR SHOTGUNS • RIFLES • PISTOLS • REVOLVERS



PETERS

DU PONT

HIGH VELOCITY




STANDARD VELOCITY



MATCH
CARTRIDGES



SHOT
CARTRIDGE



BLANK
CARTRIDGE

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED		KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE						BOX	CASE
a	22 SHORT	2267 2268	29	*Lead	50	10,000	i	22 WIN. AUTO.	2237	45	Lead	50	5,000
			27	*Lead Hollow Pt.	50	10,000							
b	"THUNDERBOLT" 22 SHORT	2265	15	*Special Comp.	28	11,200	j	32 SHORT	3203	80	Lead	50	5,000
c	22 LONG	2269	29	*Lead	50	10,000	k	22 LONG RIFLE (Rifle Match)	2226	40	Lead	50	10,000
d	22 LONG RIFLE	2283 2284	40 36	*Lead *Hollow Pt.	50 50	10,000 10,000							
e	22 W.R.F. (Rem. Special)	2291	45	Lead	50	5,000	l	22 LONG RIFLE (Pistol Match)	2228	40	Lead	50	10,000
f	22 SHORT "TARGET"	2214	29	Lead	50	10,000							
g	22 SHORT GALLERY "KRUMBLE BALL"	2204 2205	29	Lead	250	10,000	m	22 SHOT CART.	2299	#12 shot	—	50	10,000
			15	Special Comp.	250	10,000							
h	22 LONG RIFLE "TARGET"	2224	40	Lead	50	10,000	n	22 SHORT BLANK	2249	—	—	50	10,000

*High Velocity

f illustrated

CENTER FIRE RIFLE CARTRIDGES

featuring
"inner-belted" bullets

**PROGRESSIVE BURNING
POWDER** provides
proper velocity and
extreme accuracy at
safe pressure limits.

PRIMER sealed
against gun oil by
Peters "Oil-Tite"
process.

**"RUSTLESS" NON-
CORROSIVE PRIMING**
provides split-second
ignition.


**TOP QUALITY BRASS
CASE** with micro close
tolerances.

**"INNER BELTED"
BULLET** with its
notched jacket and
thick mid-section
assures uniform
expansion.

PROTECTED POINT EXPANDING




"INNER-BELTED" HOLLOW POINT



METAL CASE HOLLOW POINT



METAL CASE



"INNER-BELTED" POINTED SOFT POINT



"INNER-BELTED" SOFT POINT




SOFT POINT



TAPERED HEEL, POINTED






KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
1	22 HORNET	2274	45	*Metal Case Hollow Pt.	50	2,000
		2276	45	*Soft Pt.	50	2,000
2	222 REMINGTON	2244	50	*Soft Pt.	20	1,000
3	222 REM. MAG.	2246	55	*Soft Pt.	20	1,000
4	243 WIN.	2431	80	*Pointed Soft Pt.	20	1,000
		2432	100	*"Inner-Belted," Ptc. Soft Pt.	20	1,000
5	244 REMINGTON	2441	75	*Pointed Soft Pt.	20	1,000
		2442	90	*Pointed Soft Pt.	20	1,000
		2443	90	*Protected Pt. Expanding	20	1,000
6	250 SAVAGE	2572	87	*Soft Pt.	20	1,000
		2568	100	*"Inner-Belted," Soft Pt.	20	1,000
		2570	100	*"Inner-Belted," Ptc. Soft Pt.	20	1,000
7	25-20 WIN.	2555	60	*Metal Case Hollow Pt.	50	2,000
		2552	86	Lead	50	2,000
		2553	86	Soft Pt.	50	2,000
8	257 ROBERTS	2584	117	*"Inner-Belted," Soft Pt.	20	1,000
9	25-35 WIN.	2582	117	*"Inner-Belted," Soft Pt.	20	1,000

*High Velocity


(Illustrated)



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
10	264 WIN. MAG.	2641	100	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		2642	140	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
11	270 WIN.	2701	100	*Pointed Soft Pt.	20	1,000
		2704	130	*Protected Pt. Expanding	20	1,000
		2705	130	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		2702	150	*"Inner-Belted," Soft Pt.	20	1,000
11-A	7 mm. REM. MAG.	7712	150	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		7713	175	*"Inner-Belted," Soft Pt.	20	1,000
12	7mm. MAUSER	2801	175	Soft Pt.	20	1,000
13	280 REM.	2813	100	*Protected Pt. Expanding	20	1,000
		2810	125	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		2811	150	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		2812	165	*"Inner-Belted," Soft Pt.	20	1,000
14	30-30 WIN.	3044	150	*"Inner-Belted," Soft Pt.	20	1,000
		3064	160	*Metal Case	20	1,000
		3043	170	*"Inner-Belted," Hol. Pt.	20	1,000
		3058	170	*"Inner-Belted," Soft Pt.	20	1,000
15	30 REM.	3054	170	*"Inner-Belted," Soft Pt.	20	1,000

*High Velocity

*Illustrated



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRG.	BULLET STYLE	PACKED	
					BOX	CASE
16	30-40 Krag	3046	180	**"Inner-Belted," Soft Pt.	20	1,000
		3051	180	**"Inner-Belted," Pkt. Soft Pt.	20	1,000
		13047	220	**"Inner-Belted," Soft Pt.	20	1,000
17	30-06 Springfield	3025	125	*Pointed Soft Pt.	20	1,000
		3077	150	*Protected Pt. Expanding	20	1,000
		3033	150	**"Inner-Belted," Pkt. Soft Pt.	20	1,000
		13036	180	**"Inner-Belted," Pkt. Soft Pt.	20	1,000
		3080	180	*Protected Pt. Expanding	20	1,000
		3056	180	**"Inner-Belted," Soft Pt.	20	1,000
		3079	180	*Mild Metal Case Pkt. Taper Head	20	1,000
		3038	220	**"Inner-Belted," Soft Pt.	20	1,000
18	300 SAVAGE	3024	150	**"Inner-Belted," Pkt. Soft Pt.	20	1,000
		3019	150	**"Inner-Belted," Soft Pt.	20	1,000
		3084	150	*Protected Pt. Expanding	20	1,000
		13021	180	**"Inner-Belted," Soft Pt.	20	1,000
		3023	180	**"Inner-Belted," Pkt. Soft Pt.	20	1,000
19	300 H.&H. MAG.	13028	180	**"Inner-Belted," Pkt. Soft Pt.	20	1,000
		3029	220	**"Inner-Belted," Soft Pt.	20	1,000
20	303 BRITISH	3095	215	**"Inner-Belted," Soft Pt.	20	1,000
		13085	180	Soft Pt.	25	1,000
21	303 SAVAGE	3035	180	**"Inner-Belted," Soft Pt.	20	1,000
		3086	110	*Pointed Soft Pt.	20	1,000
22	308 WIN.	13087	150	**"Inner-Belted," Pkt. Soft Pt.	25	1,000
		3088	180	**"Inner-Belted," Pkt. Soft Pt.	25	1,000
		3089	180	**"Inner-Belted," Soft Pt.	20	1,000

*High Velocity

Illustrated



23



24



25



26



27



28



29

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
23	8mm. (7.9mm.) MAUSER	3102	170	*"Inner-Bellied," Soft Pt.	20	1,000
24	32-20 WIN.	3272	80	*Metal Case Hollow Pt.	50	2,000
		3288	100	Lead	50	2,000
		3270	100	Soft Pt.	50	2,000
25	32 WIN. SPEC'L	3278	170	*"Inner-Bellied," Hbl. Pt.	20	1,000
		3279	170	*"Inner-Bellied," Soft Pt.	20	1,000
28	32 REM.	3292	170	*"Inner-Bellied," Soft Pt.	20	1,000
27	32-40 WIN.	3288	165	Soft Pt.	20	1,000
28	348 WIN.	3481	150	*Soft Pt.	20	1,000
		3484	200	*"Inner-Bellied," Soft Pt.	20	1,000
29	351 WIN. SELF-LOADING	3586	177	Metal Case	50	2,000
		3585	180	Soft Pt.	50	2,000

*High Velocity

† Illustrated



30



31



32



33



33-A



34



35



36

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
30	35 REM.	3592	150	•"Inner-Bellied," Pts. Soft Pt.	20	1,000
		3594	200	•"Inner-Bellied," Hol. Pt.	20	1,000
		3580	200	•"Inner-Bellied," Soft Pt.	20	1,000
31	375 H.&H. MAG.	13751	270	•Soft Pt.	20	1,000
		3752	300	•Metal Case	20	1,000
32	38-40 WIN.	3856	180	Soft Pt.	50	2,000
33	38-55 WIN.	3872	255	Soft Pt.	20	1,000
33-A	44 REM. MAG.	4412	240	Soft Pt. "Oil-Tite"	20	1,000
34	44-40 WIN.	4400	200	Soft Pt.	50	2,000
35	45-70 GOV.	4553	405	Soft Pt.	20	1,000
36	458 WIN. MAG.	4581	510	•Soft Pt.	20	500
		4582	500	•Metal Case	20	500

•High Velocity

† Illustrated



BALLISTICS CENTER FIRE RIFLE CARTRIDGES

Index No.	Cartridge	Bullet		VELOCITY — FEET PER SECOND				ENERGY — FOOT POUNDS				TRAJECTORY**		
		Wgt. Grs.	Style	Muzzle	100 yds.	200 yds.	300 yds.	Muzzle	100 yds.	200 yds.	300 yds.	50 yds.	200 yds.	300 yds.
-0218	218 Bee Hi-Speed	45	Mushroom	2860	2150	1610	1200	835	475	265	145	+0.2"	-6.4"	-25.9"
-0219	219 Zipper Hi-Speed	55	Mushroom	3110	2440	1940	1550	1200	740	485	300	+0.1	-4.9	-18.9
2274	22 Hornet High Velocity	45	M.C.H.P.	2590	2030	1510	1150	720	410	230	130	+0.3	-7.8	-30.5
2276	22 Hornet High Velocity	45	S.P.	2680	2030	1510	1150	720	410	230	130	+0.3	-7.8	-30.5
-0822	220 Swift Hi-Speed	48	S.P.	4110	3490	2930	2440	1800	1300	915	635	-0.2	-2.1	-7.9
2244	222 Remington High Velocity	50	S.P.	3200	2650	2170	1750	1140	780	520	340	0.0	-4.0	-15.2
-0922	222 Remington Hi-Speed	50	M.C.	3200	2650	2170	1750	1140	780	520	340	0.0	-4.0	-15.2
2248	222 Remington Mag. High Vel.	55	S.P.	3300	2800	2340	1930	1330	955	670	455	0.0	-3.6	-13.8
2431	243 Win. High Velocity	80	P.S.P.	3500	3080	2720	2410	2180	1890	1320	1030	-0.1	-2.8	-10.2
2432	243 Win. High Velocity	100	I.B.P.S.P.	3070	2790	2540	2320	2090	1730	1430	1190	0.0	-3.5	-12.2
2441	244 Remington High Velocity	75	P.S.P.	3500	3070	2660	2290	2040	1570	1180	875	-0.1	-2.7	-10.4
2442	244 Remington High Velocity	90	P.S.P.	3200	2850	2530	2230	2050	1630	1280	995	-0.1	-3.4	-12.3
2443	244 Remington High Velocity	90	P.P.Exp.	3200	2930	2670	2400	2050	1720	1420	1150	-0.1	-3.2	-11.3
2535	25-20 Win. High Velocity	50	M.C.H.P.	2250	1660	1240	1030	675	365	205	140	+0.7	-11.5	-48.8
2552	25-20 Win.	86	Lead	1460	1180	1030	940	405	255	200	170	+2.1	-23.9	-79.4
2553	25-20 Win.	86	S.P.	1460	1180	1030	940	405	255	200	170	+2.1	-23.9	-79.4
2572	250 Savage High Velocity	87	S.P.	3030	2660	2330	2060	1770	1370	1050	820	+0.1	-4.0	-14.2
2568	250 Savage High Velocity	100	I.B.S.P.	2820	2350	1970	1670	1760	1220	860	620	+0.1	-4.8	-19.5
2570	250 Savage High Velocity	100	I.B.P.S.P.	2820	2500	2210	1940	1760	1390	1080	835	+0.1	-5.3	-16.5
2582	25-35 Win. High Velocity	117	I.B.S.P.	2300	1950	1680	1460	1370	985	730	555	+0.5	-8.2	-28.6

*Remington Brand Only

**Values above (+) or below (-) line of sight. Hold size for (+) figures, high for (-) figures.

ABBREVIATIONS: I.B.P.S.P.—"Inner-Belted" Pointed Soft Point P.S.P.—Pointed Soft Point S.P.—Soft Point I.B.S.P.—"Inner-Belted" Soft Point
 I.B.H.P.—"Inner-Belted" Hollow Point M.C.H.P.—Metal Case Tapered Head M.C.—Metal Case M.C.H.P.—Metal Case Hollow Point
 P.P.Exp.—Prefabricated Point Expanding

Index No.	Cartridge	Bullet		VELOCITY — FEET PER SECOND				ENERGY — FOOT POUNDS				TRAJECTORY**		
		Wgt. Grs.	Style	Muzzle	100 yds.	200 yds.	300 yds.	Muzzle	100 yds.	200 yds.	300 yds.	50 yds.	200 yds.	300 yds.
*5425	257 Roberts Hi-Speed	100	P.S.P.C.L.	2900	2580	2280	2000	1870	1480	1150	885	+0.1"	-4.4"	-15.6"
2584	257 Roberts High Velocity	117	I.B.S.P.	2650	2280	1950	1690	1820	1350	985	740	+0.2	-5.7	-20.6
3044	30-30 Win. High Velocity	150	I.B.S.P.	2410	1960	1620	1360	1930	1280	875	615	+0.4	-8.3	-29.5
3064	30-30 Win. High Velocity	160	M.C.	2220	1870	1600	1370	1750	1240	910	665	+0.5	-9.1	-31.7
3043	30-30 Win. High Velocity	170	I.B.H.P.	2220	1890	1630	1410	1860	1350	1000	750	+0.7	-8.2	-29.6
3058	30-30 Win. High Velocity	170	I.B.S.P.	2220	1890	1630	1410	1860	1350	1000	750	+0.7	-8.2	-29.6
3054	30 Remington High Velocity	170	I.B.S.P.	2220	1890	1630	1410	1860	1350	1000	750	+0.6	-8.5	-31.8
3046	30-40 Krag High Velocity	180	I.B.S.P.	2470	2120	1830	1590	2440	1790	1340	1010	+0.3	-6.4	-23.4
3051	30-40 Krag High Velocity	180	I.B.P.S.P.	2470	2250	2040	1850	2440	2020	1660	1370	+0.3	-6.1	-20.2
3047	30-40 Krag High Velocity	220	I.B.S.P.	2200	1930	1700	1510	2360	1820	1410	1110	+0.5	-8.3	-28.5
*6630	30-06 Springfield Hi-Speed	110	P.S.P.	3420	2940	2490	2080	2850	2110	1510	1070	-0.1	-2.4	-13.1
3056	30-06 Springfield High Velocity	180	I.B.S.P.	2700	2330	2010	1740	2910	2170	1610	1210	+0.2	-5.8	-19.2
3036	30-06 Springfield High Velocity	220	I.B.H.P.	2410	2120	1870	1670	2830	2190	1710	1360	+0.3	-6.7	-23.6
3038	30-06 Springfield High Velocity	220	I.B.S.P.	2410	2120	1870	1670	2830	2190	1710	1360	+0.3	-6.7	-23.6
3029	300 H&M Magnum High Velocity	220	I.B.S.P.	2620	2320	2050	1830	3350	2630	2050	1630	+0.2	-5.7	-19.1
3019	300 Savage High Velocity	150	I.B.S.P.	2670	2270	1930	1660	2370	1710	1240	915	+0.2	-5.6	-20.4
3024	300 Savage High Velocity	150	I.B.P.S.P.	2670	2390	2130	1890	2370	1900	1510	1190	+0.2	-5.4	-17.9
3021	300 Savage High Velocity	180	I.B.S.P.	2370	2040	1760	1520	2240	1660	1240	920	+0.4	-7.5	-25.2
3023	300 Savage High Velocity	180	I.B.P.S.P.	2370	2160	1960	1770	2240	1860	1530	1290	+0.4	-6.5	-22.3
3095	303 British High Velocity	180	I.B.S.P.	2540	2300	2090	1900	2580	2120	1780	1440	+0.2	-5.8	-19.0
3085	303 British	215	S.P.	2180	1900	1660	1460	2270	1720	1310	1020	+0.6	-9.1	-30.2
3035	303 Savage High Velocity	180	I.B.S.P.	2140	1810	1550	1340	1830	1310	960	715	+0.6	-10.0	-33.8
3086	308 Win. High Velocity	110	P.S.P.	3340	2810	2340	1920	2730	1930	1340	900	0.0	-3.7	-13.6
3088	308 Win. High Velocity	180	I.B.P.S.P.	2610	2390	2170	1970	2720	2280	1870	1540	+0.3	-5.0	-17.2
3089	308 Winchester High Velocity	180	I.B.S.P.	2610	2250	1940	1680	2720	2020	1500	1130	+0.2	-6.0	-20.8
3292	32 Remington High Velocity	170	I.B.S.P.	2220	1890	1610	1400	1860	1350	975	740	+0.6	-8.3	-31.3
3278	32 Win. Spec. High Velocity	170	I.B.H.P.	2280	1920	1630	1410	1960	1390	1000	750	+0.5	-8.5	-29.8

*Remington Brand Only

**Inches above (+) or below (-) line of sight. HIGH LINE FOR (-) TARGETS, HIGH FOR (+) TARGETS.

Index No.	Cartridge	Wgt. Grs.	Bullet Style	VELOCITY — FEET PER SECOND				ENERGY — FOOT POUNDS				TRAJECTORY**		
				Muzzle	100 yds.	200 yds.	300 yds.	Muzzle	100 yds.	200 yds.	300 yds.	50 yds.	200 yds.	300 yds.
3279	32 Win. Spec. High Velocity	170	I.B.S.P.	2280	1920	1630	1410	1960	1390	1000	750	+0.5"	-8.5"	-29.8'
3272	32-20 Win. High Velocity	80	M.C.H.P.	2100	1430	1090	950	780	365	210	160	+1.0	-16.2	-58.1
3269	32-20 Win.	100	Lead	1290	1060	940	840	370	250	195	155	+2.8	-30.1	-97.2
3270	32-20 Win.	100	S.P.	1290	1060	940	840	370	250	195	155	+2.8	-30.1	-97.2
3288	32-40 Win.	165	S.P.	1440	1250	1100	1030	760	570	445	390	+1.9	-21.5	-70.3
3481	348 Win. High Velocity	150	S.P.	2890	2360	1860	1420	2780	1850	1150	670	+0.1	-5.1	-20.2
3484	348 Win. High Velocity	200	I.B.S.P.	2530	2140	1820	1570	2840	2030	1470	1090	+0.3	-7.1	-23.7
3592	35 Remington High Velocity	150	I.B.P.S.P.	2400	1960	1580	1280	1920	1280	835	545	+0.4	-8.1	-30.7
3594	35 Remington High Velocity	200	I.B.H.P.	2210	1830	1540	1310	2170	1490	1050	760	+0.7	-10.9	-39.4
3589	35 Remington High Velocity	200	I.B.S.P.	2210	1830	1540	1310	2170	1490	1050	760	+0.7	-10.9	-39.4
3585	351 Win. Self-Loading	180	S.P.	1850	1560	1310	1140	1370	975	685	520	+1.0	-14.5	-51.8
3586	351 Win. Self-Loading	177	M.C.	1850	1560	1310	1140	1370	975	685	520	+1.0	-14.5	-51.8
3856	38-40 Win.	180	S.P.	1330	1070	960	850	705	455	370	290	+2.7	-29.1	-93.7
3872	38-55 Win.	255	S.P.	1320	1180	1050	1000	985	760	625	565	+2.4	-25.1	-81.2
4409	44-40 Win.	200	S.P.	1310	1050	940	830	760	490	390	305	+2.8	-29.6	-95.2
4553	45-70 Government	405	S.P.	1320	1160	1050	990	1570	1210	990	880	+2.4	-25.1	-81.2
2801	7 mm. Mauser	175	S.P.	2490	2170	1900	1680	2410	1830	1400	1100	+0.3	-6.4	-22.4
3102	8 mm. Mauser High Velocity	170	I.B.S.P.	2570	2140	1790	1520	2490	1730	1210	870	+0.3	-6.6	-24.7
*8808	8 mm. Lebel Hi-Speed	170	S.P.	2640	2260	1960	1700	2630	1930	1450	1090	+0.2	-6.0	-20.8
4581	458 Win. Magnum High Velocity	510	S.P.	2130	1840	1600	1400	5140	3830	2900	2220	+0.6	-9.2	-32.1
4582	458 Win. Magnum High Velocity	500	M.C.	2130	1910	1700	1520	5040	4050	3210	2570	+0.6	-8.9	-29.4

*Remington Brand Only

**Positive above (+) or below (-) line of sight. Read low for (+) figures, high for (-) figures.

LONG RANGE BALLISTICS

Index No.	Cartridge	Bullet		VELOCITY — FEET PER SECOND						ENERGY — FOOT POUNDS						TRAJECTORY** Rifle sighted in at 200 yards			
		Wgt. Grs.	Style	Muzzle	100 yds.	200 yds.	300 yds.	400 yds.	500 yds.	Muzzle	100 yds.	200 yds.	300 yds.	400 yds.	500 yds.	100 yds.	200 yds.	400 yds.	500 yds.
2641	264 Win. Magnum High Velocity	100	I.B.P.S.P.	3700	3260	2880	2550	2290	2030	3040	2360	1840	1440	1140	915	+1.1"	-5.5"	-15.6"	-32.2"
2642	264 Win. Magnum High Velocity	140	I.B.P.S.P.	3200	2940	2700	2400	2280	2100	3180	2690	2270	1910	1620	1370	+1.5	-6.1	-18.4	-36.7
2813	280 Remington High Velocity	100	P.P. Exp.	3570	3160	2770	2420	2090	1800	2830	2220	1700	1300	970	720	+1.3	-5.8	-17.6	-37.5
2810	280 Remington High Velocity	125	I.B.P.S.P.	3190	2880	2590	2320	2070	1840	2820	2300	1860	1490	1190	940	+1.6	-6.7	-19.8	-41.5
2811	280 Remington High Velocity	150	I.B.P.S.P.	2890	2660	2440	2210	1990	1780	2780	2360	1980	1630	1320	1060	+2.0	-8.1	-23.0	-47.0
2812	280 Remington High Velocity	165	I.B.S.P.	2820	2510	2220	1970	1740	1530	2910	2310	1810	1420	1110	860	+2.3	-9.3	-27.6	-57.5
2701	270 Winchester High Velocity	100	P.S.P.	3480	3070	2690	2340	2010	1700	2690	2090	1600	1220	890	640	+1.3	-6.3	-18.5	-38.7
2705	270 Winchester High Velocity	130	I.B.P.S.P.	3140	2850	2580	2320	2090	1860	2840	2340	1920	1550	1260	1000	+1.6	-7.0	-20.1	-40.7
2704	270 Winchester High Velocity	130	P.P. Exp.	3140	2880	2630	2400	2180	1980	2840	2390	1990	1660	1370	1130	+1.6	-6.5	-19.6	-39.7
2702	270 Winchester High Velocity	150	I.B.S.P.	2800	2440	2140	1870	1660	1470	2610	1980	1520	1160	915	720	+2.4	-9.5	-29.6	-61.7
7712	7 MM. Rem. Mag. High Velocity	150	I.B.P.S.P.	3260	3070	2880	2690	2500	2320	3540	3140	2760	2410	2080	1790	+1.4	-5.9	-16.5	-31.9
7713	7 MM. Rem. Mag. High Velocity	175	I.B.S.P.	3020	2660	2340	2050	1790	1560	3540	2750	2130	1630	1240	945	+2.0	-8.1	-25.1	-52.7
3025	30-06 Springfield High Velocity	125	P.S.P.	3200	2810	2480	2200	1960	1740	2840	2190	1710	1340	1070	840	+1.6	-7.4	-21.4	-44.9
3033	30-06 Springfield High Velocity	150	I.B.P.S.P.	2970	2670	2400	2130	1890	1670	2930	2370	1920	1510	1190	930	+1.9	-7.5	-22.6	-45.7
3077	30-06 Springfield High Velocity	150	P.P. Exp.	2970	2710	2470	2240	2020	1820	2930	2440	2030	1670	1360	1100	+1.9	-7.5	-22.6	-45.7
3039	30-06 Springfield High Velocity	180	I.B.P.S.P.	2700	2470	2250	2040	1850	1670	2910	2440	2020	1660	1370	1110	+2.4	-9.0	-27.1	-55.7
3080	30-06 Springfield High Velocity	180	P.P. Exp.	2700	2480	2280	2080	1900	1730	2910	2460	2080	1730	1440	1190	+2.4	-8.5	-25.8	-52.7
3079	30-06 Springfield High Velocity	180	M.C.T.H.	2700	2520	2350	2190	2040	1890	2910	2540	2200	1900	1660	1430	+2.3	-8.8	-25.1	-50.0
3028	300 H&H Magnum High Velocity	180	I.B.P.S.P.	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	+1.9	-7.6	-22.5	-45.5
7730	300 H&H Magnum Match	180	M.C.T.H.	2920	2740	2550	2380	2220	2060	3400	3000	2600	2260	1970	1690	+1.9	-7.4	-20.9	-42.0
3084	300 Savage High Velocity	150	P.P. Exp.	2670	2410	2170	1950	1750	1550	2370	1930	1570	1270	1020	800	+2.5	-10.5	-29.6	-57.2
3087	308 Winchester High Velocity	150	I.B.P.S.P.	2860	2570	2300	2050	1810	1590	2730	2200	1760	1400	1090	840	+2.1	-8.5	-25.6	-53.7
3751	375 H&H Magnum High Velocity	270	S.P.	2740	2460	2210	1990	1800	1620	4500	3620	2920	2370	1940	1570	+2.4	-9.8	-27.6	-56.0
3752	375 H&H Magnum High Velocity	300	M.C.	2550	2180	1860	1590	1380	1210	4330	3180	2300	1680	1200	975	+3.1	-12.5	-37.6	-79.2

*Remington Brand Only


**Inches above (+) or below (-) line of sight. Hold low for (+) figures, high for (-) figures.

CENTER FIRE PISTOL & REVOLVER CARTRIDGES

UNIFORM LOADING of newest smokeless powder gives maximum effective performance.

UNIFORM CRIMPING holds bullet and aids perfect combustion and improved accuracy. "Oil-Tite" at crimp and primer.

BULLET OF SPECIAL DESIGN, close tolerance and weight. Properly lubricated to increase accuracy and prevent barrel fouling.



PETER'S EXCLUSIVE "RUSTLESS" PRIMING gives fast, positive ignition. Will not cause rust or corrosion.

STRONG BRASS CASE of finest quality.



"WAD CUTTER"



METAL PENETRATING



METAL POINT



LEAD



LEAD GAS-CHECK

PETERS



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
37	22 REM. "JET" MAG.	2210	40	*Jacketed Soft Pt.	50	2,000
38	25 (6.35mm.) AUTO. PISTOL	2562	50	Metal Case	50	5,000
39	30 LUGER (7.65mm.) AUTO. PISTOL	3052	93	Metal Case	50	2,000
40	32 S.&W.	3262	88	Lead	50	5,000
41	32 S.&W. LONG	3265	98	Lead	50	4,000
42	32 SHORT COLT	3252	82	Lead	50	5,000
43	32 LONG COLT	3254	82	Lead	50	4,000
44	32 COLT NEW POLICE	3256	100	Lead	50	4,000

*High Velocity

PETERS

DU PONT



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CAS.
45	32 (7.65mm.) AUTO. PISTOL	3260	71	Metal Case	50	5,000
46	32-20 WIN.	3269	100	Lead	50	2,000
		3270	100	Soft Pt.	50	2,000
47	357 MAGNUM	3575	158	Lead	50	2,000
48	9mm. LUGER AUTO. PISTOL	3651	124	Metal Case	50	2,000
49	380 (9mm.) AUTO. PISTOL	3853	95	Metal Case	50	2,000
50	38 AUTO. COLT PISTOL	3851	130	Metal Case	50	2,000
51	38 SUPER AUTO. COLT PISTOL	3849	130	Metal Case	50	2,000
52	38 S.&W.	3822	146	Lead	50	2,000

*High Velocity * Illustrated

PETERS



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
53	38 SPECIAL	3847	148	Police Match Lead "Wad Cutter"	50	2,000
		3844	158	Lead	50	2,000
		3826	158	Metal Point	50	2,000
		3841	200	Lead	50	2,000
		3810	110	"Highway Patrol" Metal Penetrating	50	2,000
		3842	158	-Lead	50	2,000
54	38 COLT NEW POLICE	3831	150	Lead	50	2,000
55	38 SHORT COLT	3833	125	Lead	50	2,000
56	38 LONG COLT	3835	150	Lead	50	2,000
57	38-40 WIN.	3856	180	Soft Pt.	50	2,000
58	41 LONG COLT	4154	195	Lead	50	2,000
59	44 REM. MAG.	4410	240	-Lead, Gas Check	50	1,000
		4411	240	Soft Pt.	50	1,000

-High Velocity

† Illustrated

PETERS

DU PONT



60



62



64

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
60	44 S.&W. SPEC.	4405	246	Lead	50	1,000
61	44-40 WIN.	4409	200	Soft Pt.	50	2,000
62	45 COLT	4502	250	Lead	50	1,000
63	45 AUTO.	4504	230	Metal Case	50	1,000
		4507	185	Police Match Metal Case "Wad Cutter"	50	1,000
		4512	173	"Highway Patrol" Metal Penetrating	50	1,000
64	45 AUTO. RIM.	4506	230	Lead	50	1,000

•High Velocity

F Illustrated

BALLISTICS

PISTOL & REVOLVER CARTRIDGES



Index Number	Cartridge	Bullet		Velocity—Feet Per Second			Energy—Foot Pounds			Mid-Range Trajectory (in.)		Barrel inches
		Wgt. Grs.	Style	Muzzle	50 Yds.	100 Yds.	Muzzle	50 Yds.	100 Yds.	50 Yds.	100 Yds.	
2210	22 Remington "Jet" Center Fire Mag.	40	J.S.P.	2460	2100	1780	535	390	280	0.2	1.0	8½
2562	25 (6.35mm) Automatic	50	M.C.	810	755	700	73	63	54	1.8	7.7	2
3052	30 (7.65) Luger	93	M.C.	1220	1110	1035	307	254	221	0.9	3.5	4½
3262	32 Smith & Wesson	88	Lead	705	670	630	97	88	77	2.6	9.8	3
3265	32 Smith & Wesson Long	98	Lead	780	740	700	132	119	107	1.9	7.9	4
3252	32 Short Colt	80	Lead	795	710	635	112	89	72	1.9	8.6	4
3254	32 Long Colt	80	Lead	790	740	700	111	97	87	1.9	8.0	4
3256	32 Colt New Police	100	Lead	785	725	670	137	117	100	1.9	8.3	4
3260	32 (7.65mm) Automatic Pistol	71	M.C.	960	905	850	145	129	114	1.3	5.4	4
3575	357 Magnum High Velocity	158	Lead	1430	1255	1130	717	551	447	0.6	2.8	8½
3651	9mm Luger	124	M.C.	1120	1030	965	345	292	256	1.0	4.1	4
3853	380 Automatic (9mm)	95	M.C.	955	865	785	192	158	130	1.4	5.9	3¼
3851	38 Automatic	130	M.C.	1040	980	925	312	277	247	1.0	4.7	4½
3849	38 Super Automatic	130	M.C.	1275	1140	1050	469	375	318	0.8	3.4	5
3822	38 Smith & Wesson	146	Lead	730	695	655	173	156	139	2.2	9.0	4
3847	38 Special Police Match Wad Cutter	148	Lead	770	655	560	195	141	103	2.1	10.0	6

H.V.—High Velocity

M.C.—Metal Case

J.S.P.—Jacketed Soft Point

CONTINUED

BALLISTICS (PISTOL & REVOLVER) CONTINUED

Index Number	Cartridge	Bullet		Velocity—Feet Per Second			Energy—Foot Pounds			Mid-Range Trajectory (in.)		Barrel Inches
		Wgt. Grs.	Style	Muzzle	50 Yds.	100 Yds.	Muzzle	50 Yds.	100 Yds.	50 Yds.	100 Yds.	
3844	38 Special	158	Lead	855	820	790	256	236	219	1.6	6.5	6
3826	38 Special Metal Point	158	M.P.	855	820	790	256	236	219	1.6	6.5	6
3841	38 Special	200	Lead	730	695	665	235	214	196	2.2	9.0	6
3810	38 Spec. H'way Patrol Metal Penetrating H.V.	110	Spcl.	1320	1130	1020	425	312	254	0.7	3.4	5
3842	38 Special High Velocity	158	Lead	1085	1030	980	413	372	337	1.0	4.2	5
3831	38 Colt New Police	150	Lead	680	645	615	154	138	126	2.5	10.5	4
3833	38 Short Colt	125	Lead	760	715	670	160	142	124	2.1	8.7	6
3835	38 Long Colt	150	Lead	770	735	700	197	180	163	1.9	8.1	6
4154	41 Long Colt	195	Lead	730	705	680	231	207	200	2.2	8.8	6
4410	44 Remington Magnum	240 Lead, gas-check		1470	1275	1120	1150	870	670	0.6	2.7	6½
4405	44 Smith & Wesson Special	246	Lead	755	725	695	311	283	264	2.0	8.3	6½
4502	45 Colt	250	Lead	855	815	775	405	368	333	1.6	6.6	5½
4504	45 Automatic	230	M.C.	850	810	775	369	335	307	1.6	6.5	5
4507	45 Automatic Police Match Wad Cutter	185	M.C.	775	695	625	247	198	160	2.0	9.0	5
4512	45 Auto. H'way Patrol Metal Penetrating H.V.	173	Spcl.	1125	1005	920	486	388	325	1.0	4.3	5
4506	45 Automatic Rim	230	Lead	805	765	725	331	299	268	1.8	7.4	5½

H.V.—High Velocity

M.C.—Metal Case

M.P.—Metal Penetrating

FOR BIGGER GAME
 moose, elk, Kodiak bear, caribou

300 H & H Magnum	375 H & H Magnum
222 gr. H.P.	270 gr. S.P.
180 gr. F.S.P.	
	30-06 Springfield
75 Remington	223 gr. S.P.
200 gr. S.P.	220 gr. H.P.
200 gr. H.P.	180 gr. F.S.P.
	200 Remington
270 Winchester	155 gr. S.P.
125 gr. S.P.	200 gr. F.S.P.
	7mm Rem. Magnum
450 Win. Magnum	175 gr. L.S.P.
110 gr. S.P.	
	300 Savage
30-45 Krag	180 gr. S.P.
200 gr. S.P.	180 gr. F.S.P.

FOR HARD TO REACH GAME
 wethers, mountain goat

300 Savage	370 Winchester
180 gr. S.P.	120 gr. F.S.P.
200 gr. F.P. Exp.	120 gr. F.P. Exp.
	264 Win. Magnum
140 gr. F.S.P.	120 gr. F.S.P.
	125 gr. F.S.P.
30-06 Springfield	7mm Rem. Magnum
100 gr. F.S.P.	150 gr. F.S.P.
120 gr. F.P. Exp.	
180 gr. F.S.P.	300 Winchester
	120 gr. F.S.P.
300 H & H Magnum	180 gr. F.S.P.
220 gr. H.P.	
200 gr. F.S.P.	30-45 Krag
257 Roberts	180 gr. F.S.P.
117 gr. S.P.	

ANOTHER GOOD SELECTION
 far deer, black bear, jaguar

270 Winchester	264 Win. Magnum
150 gr. S.P.	140 gr. S.P.
120 gr. F.S.P.	
	300 H & H Magnum
30-30 Springfield	140 gr. F.S.P.
120 gr. S.P.	
120 gr. F.S.P.	30-30 Winchester
120 gr. F.P. Exp.	170 gr. S.P.
180 gr. F.P. Exp.	
	30 Remington
44 Rem. Magnum	175 gr. S.P.
240 gr. S.P.	
7mm Rem. Magnum	160 gr. S.P.
175 gr. L.S.P.	120 gr. F.S.P.
	300 Savage
22 Remington	150 gr. F.P. Exp.
120 gr. S.P.	

FOR SMALLER GAME
 woodchuck, fox, bobcat, wolf

222 Remington	257 Roberts
50 gr. S.P.	117 gr. S.P.
	300 Savage
244 Remington	100 gr. F.S.P.
75 gr. F.S.P.	87 gr. S.P.
80 gr. F.S.P.	
80 gr. F.P. Exp.	22 Kerosol
	45 gr. S.P.
222 Rem. Magnum	45 gr. H.P.
55 gr. S.P.	
	264 Win. Magnum
	100 gr. F.S.P.
200 Remington	
100 gr. F.P. Exp.	22 Rem. "let" Magnum
120 gr. F.S.P.	40 gr. Improved S.P.

30M FIRE

30 W.S.J.
 Remington Special
 Winchester M/1880

30 Stevens Short or 25
 Stevens but not conversely

30 Short or 30 Long
 but not conversely

CENTER FIRE

20-20 Winchester, Marlin,
 Remington

20-20 Winchester and Marlin

20-20 W.C.F.

20-20 Winchester

20-20 Winchester High Velocity

20-20 Marlin

25 Colt Automatic
 Automatic Pistol
 25 (4.30 mm.) Automatic
 Pistol
 4.30 mm. Browning Automatic

30-30 Winchester, Marlin,
 Savage

30-30 Winchester

30-30 Marlin

30-30 Winchester High

Velocity

30 W.C.F.

See Note A

30 Short Colt or 30 Long Colt
 but not conversely

32 Colt Automatic
 Automatic Pistol
 32 (7.65 mm.) Automatic Pistol
 7.65 mm. Remington-Union

32 Smith & Wesson 32

32 Smith & Wesson Long

but not conversely

32 Smith & Wesson Long

32 Colt New Police

32 Colt Police Positive

32 Winchester, Marlin,
 Remington*

32 Winchester and Marlin*

W.C.F.*

30-20 Winchester*

30-20 Winchester*

30-20 Winchester High Velocity*

30-20 Marlin*

30-20 Colt L.M.&K.*

30-20 W.C.F.*

30-20 Winchester and Marlin*

30 Short Colt or 30 Long Colt

but not conversely, both

can be used in 30 Special

30 Smith & Wesson

30 Colt New Police

See Note B

26 Colt Special

26 Smith & Wesson Special

26 Special Police Model

26 Smith & Wesson Special Mid-Range

26 Special High Velocity (1)

26-42 Special (1)

26 Special

26 Special Field Point

26 Winchester, Marlin, Remington

26 Winchester

26 Remington

26-42 Winchester

26 W.C.F.

26 Winchester, Marlin, Remington

26 Winchester

26 Remington (not Magnum)

26 W.C.F.

26-42 Winchester

44 Smith & Wesson

or 44 Remington

Mag. but not conversely

45-70 Government

45-70 Marlin

45-70-405

5.56 mm. Light Rifle/Mini Rifle

5 mm. Parabellum

NOTE: High Velocity, Hi-Speed Cartridges must not be used in Removers, they should be used only in rifles made especially for them. Karasikov-type marked (1) are designed especially for the 26-44 Smith & Wesson Revolver and the 26 Colt Shooting Wreath. Pressure of these two cartridges is safe for lighter guns, but the recoil is hard to be well controlled and the velocity may be shaken loose in time.

NOTE A: Not for use in revolvers chambered for 32 Smith & Wesson Long, or 32 Smith & Wesson.

NOTE B: All 30 Special cartridges can be used in 257 Magnum revolvers but not conversely.

SHOTGUN SHELLS

"HIGH VELOCITY"
Long-Range Power Load. Forty-three different powder and shot combinations; gauges 10 to 410 — plus six different loadings of Peters Bulk Shot in 12, 16, and 20 gauges. Peters Rifle Slugs are available in 12, 16, 20, 24, and 410 gauges.



"VICTOR" Field Load. Thirty-one different powder and shot combinations — plus scatter loads for game-getting patterns in close cover. Available in 12, 16, and 20 gauges.



TARGET LOADS
When competition at the gun club gets hot and you want accuracy in your target loads . . . Peters packs the patterns.

PETERS "HIGH VELOCITY" PLASTIC SHOTGUN SHELL



- a **EXCLUSIVE "POWER PISTON" WAD** Keeps full power behind the shot — where it belongs!
- b **ROUND, HARD SHOT** Perfect game-getting patterns every shot!
- c **EXCLUSIVE POLYETHYLENE BODY** Never scuffs . . . Never swells. Always chambers perfectly.
- d **EXCLUSIVE MOLD-TITE FILLER WAD** Cleans and polishes your barrel with every shot fired!
- e **EXCLUSIVE WAB-LOKTY CRIMP** Seals out weather . . . Seals in power!
- f **FINEST PROGRESSIVE-BURNING POWDER** In new Plastic Shells, stays ballistically stable — factory fresh!
- g **EXCLUSIVE BASE WAD** Hydraulically formed in the shell under 7½ tons per-square-inch pressure.
- h **STRONG METAL HEAD** Gives extra strength . . . plus corrosion resistance!
- i **EXCLUSIVE "RUSTLESS" PRIMING** The famous non-corrosive priming that keeps your barrel bright and clean!

"HIGH VELOCITY" PLASTIC SHOTGUN SHELLS

	INDEX NO.	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OZS. SHOT	STANDARD SHOT SIZES
LONG RANGE LOADS	PS12	12	2¾	3¼	1¼	BB, 2, 4, 5, 6, 7½, 9
	PS16	16	2¾	3	1¼	2, 4, 5, 6, 7½, 9
	PS16X	16	2¾	3¼	1¼	4, 5, 6, 7½
	PS20	20	2¾	2¾	1	2, 4, 5, 6, 7½, 9
MAGNUM LOADS	PS12S Mag.	12	2¾	4	1½	2, 4, 5, 6, 7½ (Mag.)
	PS12H Mag.	12	3	4½	1½	BB, 2, 4, 5 (Mag.)
	PS12 Mag.	12	3	4¼	1½	BB, 2, 4, 5, 6, (Mag.)
	PS16C Mag.	16	2¾	3½	1½	2, 4, 5 (Mag.)
	PS20S Mag.	20	2¾	3	1¼	2, 4, 5, 7½ (Mag.)
	PS20H Mag.	20	3	3¼	1¼	2, 4, 5, 7½ (Mag.)
BUCKSHOT LOADS	PS12 BK	12	2¾	3¼	—	00 Buck-9 Pellets
	PS12 BK	12	2¾	3¼	—	0 Buck-12 Pellets
	PS12 BK	12	2¾	3¼	—	1 Buck-16 Pellets
	PS12 BK	12	2¾	3¼	—	4 Buck-27 Pellets
	PS16 BK	16	2¾	3	—	1 Buck-12 Pellets
	PS20 BK	20	2¾	2¾	—	3 Buck-20 Pellets
MAGNUM BUCKSHOT LOADS	PS12S Mag.	12	2¾	4	—	00 Buck-12 Pellets
	PS12H Mag.	12	3	4½	—	00 Buck-15 Pellets
	PS12H MAG.	12	3	4½	—	4 Buck-41 Pellets
RIFLED SLUG LOADS	PS12 RS	12	2¾	3¼	1	Rifled Slug
	PS16 RS	16	2¾	3	¾	Rifled Slug
	PS20 RS	20	2¾	2¾	¾	Rifled Slug



**LONG RANGE
SHOTGUN SHELLS**

INDEX NO.	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OZS. SHOT	STANDARD SHOT SIZES
100	10	2 $\frac{1}{8}$	4 $\frac{1}{4}$	1 $\frac{1}{2}$	2, 4
120	12	2 $\frac{1}{8}$	3 $\frac{1}{4}$	1 $\frac{1}{4}$	BB, 2, 4, 5, 6, 7$\frac{1}{2}$, 9
150	16	2 $\frac{1}{8}$	3	1 $\frac{1}{4}$	4, 5, 6, 7$\frac{1}{2}$
160	16	2 $\frac{3}{4}$	3	1 $\frac{1}{4}$	2, 4, 5, 6, 7 $\frac{1}{2}$
170	16	2 $\frac{3}{4}$	3 $\frac{1}{4}$	1 $\frac{1}{4}$	2, 4, 5, 6, 7 $\frac{1}{2}$, 9
200	20	2 $\frac{3}{4}$	2 $\frac{3}{4}$	1	2, 4, 5, 6, 7 $\frac{1}{2}$, 9
280	28	2 $\frac{3}{4}$	2 $\frac{1}{4}$	$\frac{3}{4}$	4, 6, 7 $\frac{1}{2}$, 9*
4190	410	2 $\frac{1}{2}$	—	$\frac{1}{2}$	4, 5, 6, 7 $\frac{1}{2}$, 9*
4130	410	3	—	$\frac{3}{4}$	4, 5, 6, 7 $\frac{1}{2}$, 9*

MAGNUM LOADS

9170 Mag.	12	3	4 $\frac{1}{4}$	1 $\frac{1}{2}$	BB, 2, 4, 5, 6
1305 Mag.	12	2 $\frac{3}{4}$	4	1 $\frac{1}{2}$	2, 4, 6.
140H Mag.	12	3	4 $\frac{1}{2}$	1 $\frac{1}{2}$	BB, 2, 4,
1805 Mag.	16	2 $\frac{3}{4}$	3 $\frac{1}{2}$	1 $\frac{1}{2}$	2, 4, 6,
1905 Mag.	20	2 $\frac{3}{4}$	3	1 $\frac{1}{2}$	2, 4, 6, 7 $\frac{1}{2}$.
190H Mag.	20	3	3 $\frac{1}{4}$	1 $\frac{1}{2}$	2, 4, 6, 7 $\frac{1}{2}$,

Shot sizes (in bold face) supplied only in loaded crimp; all other shot sizes supplied with new Peters crimp.
 *410 Ga. and 28 Ga. with No. 9 Shot are marked "Target Load" and are known as Load Numbers 285, 7199 and 7139.
 All loaded shells packed 25 to a carton — 500 to the case.

	INDEX NO.	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OZS. SHOT	STANDARD SHOT SIZES
RIFLED SLUG LOADS	120RS	12	2¾	3¾	1	Rifled Slug
	160RS	16	2¾	3	¾	Rifled Slug
	200RS	20	2½	2¾	¾	Rifled Slug
	280RS	28	2¾	2¾	½	Rifled Slug
	410RS	410	2½	—	¾	Rifled Slug
BUCKSHOT LOADS	X340	12	2¾	3¾	—	0 Buck—12 Pellets
	X3400	12	2¾	3¾	—	00 Buck—9 Pellets
	X341	12	2¾	3¾	—	1 Buck—16 Pellets
	X344	12	2¾	3¾	—	4 Buck—27 Pellets
	X351	16	2¾	3	—	1 Buck—12 Pellets
	X363	20	2½	2¾	—	3 Buck—20 Pellets
MAGNUM BUCKSHOT LOADS	130S Mag.	12	2¾	4	—	00 Buck—12 Pellets
	140H Mag.	12	3	4½	—	00 Buck—15 Pellets

Shot sizes supplied only in tatted crimp.
 All loaded shells packed 25 to a carton — 500 to the case.



FIELD LOADS

INDEX NO.	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OZS. SHOT	STANDARD SHOT SIZES
5110	12	2¼	3	1	4, 5, 6, 8
5140	12	2¼	3	1½	4, 5, 6, 8, 9
5160	12	2¼	3¼	1½	4, 5, 6, 7½, 8, 9
717B	12	2¼	3¼	1½	7½, 8
*5530	16	2¼	2½	1	4, 5, 6, 8, 9
5580	16	2¼	2¼	1½	4, 5, 6, 7½, 8, 9
5730	20	2¼	2¼	¾	4, 5, 6, 8, 9
5740	20	2¼	2½	1	4, 5, 6, 7½, 8, 9
<hr/>					
SPREADER LOADS					
6140SPDR	12	2¼	3	1½	8
6540SPDR	16	2¼	2½	1	8
6730SPDR	20	2½	2¼	¾	8

Shot sizes (in bold face) supplied only in rolled crimp; all other shot sizes supplied with new Peters crimp.
 *Only for 16 gauge guns having 2¼" chambers. 717B may also be used where heavier Trap Loads are permissible.



FOR TRAP AND SKEET

INDEX NO.	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OZS. SHOT	STANDARD SHOT SIZES
-7160	12	2¾	3	1¼	7½, 8, 9
7120	12	2¾	2¾	1¼	9
7120	12	2¾	2¾	1¼	7½, 8
7539	16	2¾	2½	1	9
7739	20	2¾	2¾	¾	9
289	28	2¾	2¾	¾	9
7199	410	2½	—	½	9
7139	410	3	—	¾	9

"HIGH VELOCITY" FOR SKEET

PETERS



*Maximum load for Registered Sheets is 3 drs. — 1¼ oz. shot.
5560 and 5740 with No. 7½ and 8 shot are also recommended for 16 and 20 ga. trapshooting.

SUGGESTED SHOT SIZES FOR GAME

GAME	SHELL	SHOT SIZE	SUGGESTED CHOKES
DUCKS	Peters "High Velocity"	4, 5, 6	FULL — For Pass Shooting MODIFIED — Over Decoys
GEESE	Peters "High Velocity"	BB, 2, 4	FULL
PHEASANTS	Peters "High Velocity"	5, 6	MODIFIED FULL — For Long Cornfield Shots
GROUSE, PARTRIDGE	Peters "High Velocity" or Peters "Victor"	5, 6 7½, 8	IMPROVED CYLINDER OR MODIFIED — For Brush Work FULL — For Open Ranges
QUAIL	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER MODIFIED
DOVES, PIGEONS	Peters "High Velocity" or Peters "Victor"	5, 7½, 8	MODIFIED
WOODCOCK	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER MODIFIED
RABBITS	Peters "High Velocity" or Peters "Victor"	4, 5, 6	IMPROVED CYLINDER OR MODIFIED — For Brush FULL — For Long Open Shots
SQUIRRELS	Peters "High Velocity"	5, 6	MODIFIED
RAIL	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER
TURKEY	Peters "High Velocity"	BB, 2, 4	FULL
FOX	Peters "High Velocity"	BB, 2	FULL
BEAR, BLACK BEAR, WOLF	Peters "High Velocity"	Rifled Slug and Buck Shot	For rifled slugs . . . any choke For buckshot loads . . . full choke

SHOT

NUMBER	DIAM. IN INCHES	APPROX. PELLETS IN 1 OZ.
● 12	.05	2385
● 9	.08	585
● 8	.09	410
● 7½	.09½	350
● 6	.11	225
● 5	.12	170
● 4	.13	135
● 2	.15	90
● BB	.18	50

BUCK SHOT

NUMBER	DIAM. IN INCHES	APPR. PELLETS IN 1 OZ.
● 4	.24	34
● 3	.25	30
● 1	.30	17
● 0	.32	14
● 00	.33	13

Remington

AUTOMATIC SHOTGUNS



THE "SPORTSMAN" 58

S T A N D A R D S P E C I F I C A T I O N S

	THE "SPORTSMAN" 58	THE MODEL 878 "AUTOMASTER"	THE MODEL 11-48
STYLE	3-shot gas-operated, autoloading shotgun	3-shot gas-operated, autoloading shotgun	5-shot autoloading shotgun — 4 shot in 28 and 410 gauges
GAUGES	12, 16 and 20	12	12, 16, 20, 28 and 410
BARREL	High Strength Remington Proof Steel	High Strength Remington Proof Steel	High Strength Remington Proof Steel.
SAFETY	Convenient cross-bolt type	Convenient cross-bolt type	Convenient cross-bolt type
RECEIVER	Inscribed game scenes — matted top surface	One-piece solid steel. Matted top surface. All except 878A inscribed with game scenes.	One-piece solid steel. Matted top surface.
STANDARD STOCK DIMENSIONS	14" long, 2½" drop at heel, 1¾" drop at comb	14" long, 2½" drop at heel, 1¾" drop at comb	12, 16, 20 ga. — 14" long, 2½" drop at heel, 1¾" drop at comb. 28 and 410 ga. — 13½" long, 2¾" drop at heel, 1¾" drop at comb
APPROXIMATE WEIGHT	12 ga. — 7 lbs. 16 ga. — 6¼ lbs. 20 ga. — 6½ lbs.	7 lbs.	12 ga. — 7½ lbs., 28 ga. — 6¼ lbs. 16 ga. — 6¼ lbs., 410 ga. — 6¼ lbs. 20 ga. — 6½ lbs.
GUN SELECTION	Field Gun Models-2; Magnum Models-2 Target Models-3; High Grade Models-4	Field Gun Models-4; Target Models-2 High Grade Models-4	Field Gun Models-2; Target Models-1

Remington

PUMP ACTION SHOTGUNS



THE "WINGMASTER" MODEL 870 ADL
GRAND AMERICAN TRAP and NATIONAL SKEET CHAMPIONSHIP SHOTGUN

S T A N D A R D S P E C I F I C A T I O N S

STYLE	5-shot pump action shotgun.	RECEIVER	One piece solid steel. Mattad top surface.
GAUGES	12, 16 and 20	STANDARD STOCK DIMENSIONS	14" long, 2½" drop at heel, 1½" drop at comb.
BARREL	Special Remington proof steel.	WEIGHT	20 ga. about 6½ lbs., 16 ga., about 6¾ lbs., 12 ga. without "Vari-Weight" steel plug, about 7 lbs., with steel plug about 7¾ lbs.
SAFETY	Convenient cross-bolt type.	GUN SELECTION	Field Gun Models-6; Magnum Models-2; Target Models-4; High Grade Models-6

Remington

AUTOMATIC BIG GAME RIFLES



THE "WOODSMASTER" MODEL 742 ADL

AMERICA'S MOST WIDELY USED BIG GAME AUTOMATIC, IN 3 POPULAR CALIBERS

S T A N D A R D S P E C I F I C A T I O N S

CALIBERS	Standard { 280 Remington, 30-06, 308 Win. Carbine }	STANDARD STOCK DIMENSIONS	13½" length of pull, 2¼" drop at heel, 1¼" drop at comb
CAPACITY	4 in magazine plus one in chamber	RECEIVER	Drilled and tapped for 'scope mounts. Removable clip magazine.
BARREL LENGTH	Standard — 22", Carbine — 18½"	SIGHTS	Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw.
OVER-ALL LENGTH	Standard — 42", Carbine — 38½"	WEIGHT	Standard 7½ lbs., Carbine 7 lbs.

Remington

PUMP ACTION BIG GAME RIFLES



THE "GAMEMASTER" MODEL 760 ADL
WORLD CHAMPIONSHIP DEER RIFLE

S T A N D A R D S P E C I F I C A T I O N S

CALIBERS	Standard — 280 Rem., 270 Win., 30-06, 308 Win., 35 Rem. Carbine — 280 Rem., 270 Win., 30-06, 308 Win.	STANDARD STOCK DIMENSIONS	13½" length of pull, 2¼" drop at heel, 1¼" drop at comb.
CAPACITY	4 in magazine plus one in chamber	RECEIVER	Drilled and tapped for scope mounts. Removable clip magazine.
BARREL LENGTH	Standard — 22", Carbine — 18½"	SIGHTS	Flat faced gold bead with ramp front sight, Step adjustable rear sight with windage adjustment screw.
OVER-ALL LENGTH	Standard — 42", Carbine — 38½"	WEIGHT	Standard 7½ lbs., Carbine 7 lbs.

Remington

BOLT ACTION BIG GAME RIFLES



THE MODEL 700 ADL

STANDARD SPECIFICATIONS

CALIBERS	222 Rem., 222 Rem. Mag., 243 Win., 264 Win. Mag., 270 Win., 7 MM Rem. Mag., 280 Rem., 30-06, 308 Win., 375 H&H Mag., 458 Win. Mag.*	STANDARD STOCK DIMENSIONS	13 1/2" Length of Pull, 2 1/4" Drop at Heel, 1 1/4" Drop at Comb (from open sight), Checkered American Walnut.
CAPACITY	Six — 222 Rem., 222 Rem. Mag., Five — 243 Win., 270 Win., 280 Rem., 30-06, 308 Win., Four — 264 Win. Mag., 7 MM Rem. Mag., 375 H&H Mag., 458 Win. Mag.	RECEIVER	Drilled and tapped for scope mounts.
BARREL LENGTH	30" — 222 Rem., 222 Rem. Mag., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 24" — (Stainless Steel) 7 MM Rem. Mag., 264 Win. Mag. 26" — (Muzzle Brake) 375 H&H Mag., 458 Win. Mag.	SIGHTS	Flat faced gold bead, Step adjustable rear sight, with windage adjustment screw.
OVER-ALL LENGTH	38 1/2" — 222 Rem., 222 Rem. Mag., 243 Win. 40 1/4" — 270 Win., 280 Rem., 30-06, 308 Win. 44 1/4" — 7 MM Rem. Mag., 264 Win. Mag. (Includes Furnished Recoil Pad) 46 1/4" — 375 H&H Mag., 458 Win. Mag. (Includes Furnished Recoil Pad)	WEIGHT	6 1/2 lbs. — 222 Rem., and 222 Rem. Mag. 6 3/4 lbs. — 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 7 1/4 lbs. — 7 MM Rem. Mag., 264 Win. Mag. 9 lbs. — 375 H&H Mag., 458 Win. Mag.

*These Calibers Available in BDL Grade Only.

Remington

22 CALIBER AUTOMATIC RIFLES



THE NYLON 66 "APACHE BLACK"

WORLD HAND-THROWN TARGET RECORD RIFLE

(More than 100,000 shots without malfunction)

S P E C I F I C A T I O N S

MODEL	CALIBERS	SAFETY	CAPACITY			LENGTH		WEIGHT APPROX.
			Short	Long	L.Rifle	BARREL	OVER-ALL	
Nylon 66 (Apache Black, Mohawk Brown, Seneca Green)	22 Long Rifle	Top-of-Grip Thumb Type	14 Long Rifle plus 1 in chamber			19½"	38½"	4 lbs.
552A	22 Short, Long, Long Rifle	Cross-Bolt	20	17	15	25"	42"	5¼ lbs.
552C (Carbine)	22 Short, Long, Long Rifle	Cross-Bolt	20	17	15	21"	38"	5¼ lbs.
552GS ("Gallery Special")	22 Short Only	Cross-Bolt	20			21"	38"	5¼ lbs.
550A	22 Short, Long, Long Rifle	Thumb	22	17	15	24"	43½"	6¼ lbs.

Remington

22 CALIBER BOLT ACTION RIFLES



THE NYLON 12

S P E C I F I C A T I O N S

MODEL	CALIBERS	SAFETY	CAPACITY			LENGTH		WEIGHT APPROX.
			Short	Long	Long Rifle	BARREL	OVER ALL	
510A Open Sight	22 Short, Long, Long Rifle	Automatic Thumb	1	1	1	25"	43"	5 1/2 lbs.
510C Carbine	22 Short, Long, Long Rifle	Automatic Thumb	1	1	1	21"	39"	5 1/2 lbs.
510SB Smooth Bore Barrel	22 Short, Long, Long Rifle	Automatic Thumb	1	1	1	21"	39"	5 1/2 lbs.
NYLON 11	22 Short, Long, Long Rifle	Thumb	6 shot magazine plus 1 in chamber			19 1/4"	38 1/4"	4 1/4 lbs.
NYLON 12	22 Short, Long, Long Rifle	Thumb	22	17	15	19 1/4"	38 1/4"	4 1/4 lbs.
514A	22 Short, Long, Long Rifle	Thumb	1	1	1	21"	36 1/4"	5 1/2 lbs.
514BC (Beys Carbine)	22 Short, Long, Long Rifle	Thumb	1	1	1	22"	35 1/4"	5 lbs.
40X Standard Barrel w/ Heavy	22 Long Rifle				1	28"	46 1/4"	10 1/4 lbs.
40X Center Fire	222 Rem., 222 Rem. Mag., 30-06, 7-62 mm	Thumb			1	28"	46 1/4"	Heavy 12 1/4 lbs. 10 1/4 lbs. Heavy 12 1/4 lbs.
513TR (with sights)	513TX (without sights)	Thumb	6 shot magazine plus 1 in chamber			27"	45"	9 lbs.
521T	22 Short, Long, Long Rifle	Thumb	6 shot magazine plus 1 in chamber			25"	42 1/4"	8 1/2 lbs.
International Free Rifle	22 Long Rifle 222 Rem., 222 Rem. Mag., 7-62 mm NATO, 30-06	—			1	28"	—	13 lbs.

TARGET
RIFLES

Remington.

22 CALIBER LEVER ACTION RIFLE



THE NYLON 76 "trail rider"

S P E C I F I C A T I O N S

MODEL	CALIBERS	SAFETY	CAPACITY	LENGTH		WEIGHT APPROX.
				BARREL	OVER-ALL	
NYLON 76 "trail rider"	22 Long Rifle	Top-of-Grip Thumb Type	14 L.R. Cart. plus 1 in chamber	19½"	38½"	4lbs.

Remington

22 CALIBER PUMP ACTION RIFLES



THE MODEL 572 "FIELDMASTER"

S P E C I F I C A T I O N S

MODEL	CALIBERS	SAFETY	CAPACITY			LENGTH		WEIGHT APPROX.
			Short	Long	Long Rifle	BARREL	OVER-ALL	
572A	22 Short, Long, Long Rifle	Cross-Bolt	20	17	15	25"	42"	5½ lbs.
572SB	22 Shot Cartridge	Cross-Bolt	15 Shot Cartridges			25"	42"	5½ lbs.



PETERS



SPORTING AMMUNITION FOR SHOTGUNS

RIFLES • PISTOLS • REVOLVERS

PETERS CARTRIDGE DIVISION

REMINGTON ARMS COMPANY, INC. • BRIDGEPORT 2, CONNECTICUT