



PETERS AMMUNITION RETAIL PRICE LIST



INCLUDING 11% U. S. EXCISE TAX

EFFECTIVE JANUARY 3, 1967

(Subject to change without notice)

PETERS PLASTIC SHELLS

WITH "KLEANBORE" PRIMING

Load No.	Gauge	Length Shell Inches	Powder Equiv. Drams	Shot Ozs.	Size Shot	RETAIL PER BOX
----------	-------	---------------------	---------------------	-----------	-----------	----------------

"HIGH VELOCITY" SHOTGUN SHELLS

12-16-20-28 GAUGE SHELLS — "POWER PISTON" WAD

•RX 10P	10 Ga.	2 3/4	8	...	Yacht Gun Blank	\$6.50
•SP 10	10 Ga.	2 3/4	4 3/4	1 3/4	4	4.45
PS 12	12 Ga.	2 3/4	3 3/4	1 1/4	BB, 2, 4, 5, 6, 7 1/2, 9	3.70
PS 16	16 Ga.	2 3/4	3	1 1/4	4, 5, 6, 7 1/2, 9	3.35
PS 16X	16 Ga.	2 3/4	3 3/4	1 1/4	4, 5, 6, 7 1/2	3.40
PS 20	20 Ga.	2 3/4	2 3/4	1	4, 5, 6, 7 1/2, 9	3.20
PS 28	28 Ga.	2 3/4	2 1/4	3/4	4, 6, 7 1/2, 9 [■]	3.30
•PS 410	410 Ga.	2 1/2	...	1/2	4, 5, 6, 7 1/2, 9 [■]	2.45
•PS 4103	410 Ga.	3	...	3/4	4, 5, 6, 7 1/2, 9 [■]	2.90

■28 Ga. and 410 Ga. 9 shot marked "Skeet Load."

"HIGH VELOCITY" MAGNUM LOADS

"POWER PISTON" WAD

•SP 10 Mag.	10 Ga.	3 1/2	5	2	2, 4 (Mag)	\$7.60
PS 12S Mag.	12 Ga.	2 3/4	4	1 1/2	2, 4, 5, 6 (Mag)	4.20
PS 12 Mag.	12 Ga.	3	4 1/4	1 3/4	2, 4, 6 (Mag)	4.60
PS 12H Mag.	12 Ga.	3	4 1/2	1 3/4	BB, 2, 4 (Mag)	5.00
PS 16C Mag.	16 Ga.	2 3/4	3 1/2	1 1/4	2, 4, 6 (Mag)	3.70
PS 20S Mag.	20 Ga.	2 3/4	3	1 1/4	2, 4, 6, 7 1/2 (Mag)	3.35
PS 20H Mag.	20 Ga.	3	3 3/4	1 1/4	2, 4, 6, 7 1/2 (Mag)	3.75

Load No.	Gauge	Length Shell Inches	Powder Equiv. Drams	Shot Ozs.	Size Shot	RETAIL PER BOX
----------	-------	---------------------	---------------------	-----------	-----------	----------------

"HIGH VELOCITY" MAGNUM BUCKSHOT LOADS — "POWER-PAKT"

PS 12S Mag. BK	12 Ga.	2 3/4	4	...	00 Buck - 12 Pellets	\$5.00
PS 12H Mag. BK	12 Ga.	3	4 1/2	...	00 Buck - 15 Pellets	5.70
PS 12H Mag. BK	12 Ga.	3	4 1/2	...	4 Buck - 41 Pellets	5.70

"VICTOR" SHOTGUN SHELLS

"POWER PISTON" WAD

PV 12L	12 Ga.	2 3/4	3	1	4, 5, 6, 8	\$2.90
PV 12M	12 Ga.	2 3/4	3	1 1/4	4, 5, 6, 8, 9	3.05
PV 12H	12 Ga.	2 3/4	3 3/4	1 1/4	4, 5, 6, 7 1/2, 8, 9	3.10
PP 12H	12 Ga.	2 3/4	3 3/4	1 1/4	7 1/2, 8	3.25
NPP 12H	12 Ga.	2 3/4	3 3/4	1 1/4	7 1/2, 8 (Nicked)	3.80
PV 16	16 Ga.	2 3/4	2 1/2	1	4, 5, 6, 8, 9	2.75
PV 16H	16 Ga.	2 3/4	2 3/4	1 1/4	4, 5, 6, 7 1/2, 8, 9	2.90
PV 20	20 Ga.	2 3/4	2 1/4	3/4	4, 5, 6, 8, 9	2.55
PV 20M	20 Ga.	2 3/4	2 1/2	1	4, 5, 6, 7 1/2, 8, 9	2.80

"VICTOR" SCATTER LOADS

PVS 12	12 Ga.	2 3/4	3	1 1/4	8	\$3.20
PVS 16	16 Ga.	2 3/4	2 1/2	1	8	2.90
PVS 20	20 Ga.	2 3/4	2 1/4	3/4	8	2.75

"VICTOR" PLASTIC TRAP AND SKEET LOADS

"POWER PISTON" WAD

PP 12M	12 Ga.	2 3/4	3	1 1/4	7 1/2, 8, 9	\$3.05
PP 12L	12 Ga.	2 3/4	2 3/4	1 1/4	7 1/2, 8, 9	3.05

"HIGH VELOCITY" RIFLED SLUG LOADS

PS 12RS	12 Ga.	2 1/4	3 3/4	1	Rifled Slug	\$5.50
PS 16RS	16 Ga.	2 3/4	3	1/2	Rifled Slug	5.25
PS 20RS	20 Ga.	2 3/4	2 3/4	3/4	Rifled Slug	5.05
PS 410RS	410 Ga.	2 1/2	...	1/2	Rifled Slug	4.75

"HIGH VELOCITY" BUCKSHOT LOADS — "POWER-PAKT"

PS 12BK	12 Ga.	2 1/4	3 3/4	...	00 Buck - 9 Pellets	\$4.40
PS 12BK	12 Ga.	2 3/4	3 3/4	...	0 Buck - 12 Pellets	4.40
PS 12BK	12 Ga.	2 3/4	3 3/4	...	1 Buck - 16 Pellets	4.40
PS 12BK	12 Ga.	2 3/4	3 3/4	...	4 Buck - 27 Pellets	4.40
PS 16BK	16 Ga.	2 3/4	3	...	1 Buck - 12 Pellets	4.40
PS 20BK	20 Ga.	2 3/4	2 3/4	...	3 Buck - 20 Pellets	4.40

All loaded shells packed 25 to a box — 500 to the case.
 •Standard Wad Column. *Remington Brand

PP 16	16 Ga.	2 1/4	2 1/4	1	9	2.75
PP 20	20 Ga.	2 3/4	2 3/4	1/2	9	2.55

**"VICTOR" PLASTIC TRAP LOADS
"POST-WAD"**

PG 12M	12 Ga.	2 3/4	3	1 1/4	7 1/2, 8, 9	\$3.05
PG 12L	12 Ga.	2 3/4	2 3/4	1 1/4	7 1/2, 8, 9	3.05

**"HIGH VELOCITY" PLASTIC INTERNATIONAL TARGET LOADS
"POWER PISTON" WAD**

PS 12L	12 Ga.	2 3/4	3 3/4	1 1/4	7 1/2, 8	\$3.25
NPS 12L	12 Ga.	2 3/4	3 3/4	1 1/4	7 1/2, 8, (Nicked)	3.80

**"HIGH VELOCITY" SKEET LOADS
28 GAUGE — "POWER PISTON" WAD**

PS 28	28 Ga.	2 3/4	2 3/4	3/4	9	\$3.30
•PS 410	410 Ga.	2 1/2	...	1/2	9	2.45
•PS 4103	410 Ga.	3	...	3/4	9	2.90

PETERS RIM FIRE CARTRIDGES

Index No.		BULLET Weight (Grains)	No. In Box	RETAIL PER BOX
-----------	--	------------------------	------------	----------------

"HIGH VELOCITY" MAXIMUM POWER — HIGHEST SPEED

2267	22 Short	29	50	\$.70
2268	22 Short, Hollow Point	27	50	.80
2269	22 Long	29	50	.75
2283	22 Long Rifle	40	50	.85
2284	22 Long Rifle, Hollow Point	36	50	.95
2291	22 W.R.F. (Rem. Spec.)	45	50	2.10

SPECIAL MATCH CARTRIDGES

2226	22 Long Rifle, Match, for Rifles	40	50	\$1.30
2228	22 Long Rifle, Match, for Pistols	40	50	1.30

SHOT CARTRIDGES

2299	22 Long Rifle	—	50	\$1.60
------	---------------	---	----	--------

Index No.		BULLET Weight (Grains)	No. In Box	RETAIL PER BOX
-----------	--	------------------------	------------	----------------

STANDARD VELOCITY

2204	22 Short Gallery K.B.	29	250	\$3.42
2205	22 Short Gallery Improved K.B.	15	250	3.42
2214	22 Short	29	50	.70
2224	22 Long Rifle	40	50	.85
2237	22 Win. Automatic	45	50	2.10

K.B.—Krumble Ball

BLANK CARTRIDGES

LOADED WITH A SPECIAL POWDER INSURING A LOUD REPORT

2249	22 Short, Rim Fire	—	50	\$.80
3297	32 Smith & Wesson, Center Fire	—	50	3.40
3894	38 Smith & Wesson, Center Fire	—	50	3.50
3895	38 Special, Center Fire	—	50	4.85
†9005	5 in 1 Blank, Center Fire	—	50	8.25

†Remington Brand (for use in 38/40 and 44/40 Rifles and 38/40, 44/40 and 45 Colt Revolvers.)

PETERS CARTRIDGE DIVISION

REMINGTON ARMS COMPANY, INC. BRIDGEPORT, CONNECTICUT 06602

BRANCH WAREHOUSE — 3401 CHOUTEAU AVE., ST. LOUIS, MO. 63103

PETERS CENTER FIRE CARTRIDGES WITH "KLEANBORE" PRIMING

Index No.	Caliber	Bullet		No. In Box	Retail Per Box
		Wgt. Grs.	Style		
2180	218 Bee	46	HV HP	50	\$7.25
2280	220 Swift	48	HV SP	20	4.05
2276	22 Hornet	45	HV SP	50	7.05
2274	"	45	HV HP	50	7.05
2210	22 Rem. "Jet" Mag.	40	HV SP	50	6.85
2215	221 Rem. "Fire Ball"	50	HV PT SP	20	3.15
2244	222 Remington	50	HV PT SP	20	3.30
2254	"	50	HV HP PL	20	3.65
2290	"	50	HV MC	20	3.30
2246	222 Rem. Magnum	55	HV PT SP	20	3.60
2247	"	55	HV HP PL	20	3.95
2500	22-250 Remington	55	HV PT SP	20	3.60
2501	"	55	HV HP PL	20	3.95
2230	223 Rem. (5.56 mm.)	55	HV PT SP	20	3.60
2231	"	55	HV HP PL	20	3.95
6610	6 mm. Remington	100	HV PT SP CL	20	4.50
6611	"	80	HV PT SP	20	4.50
6613	"	80	HV HP PL	20	4.95
2431	243 Win.	80	HV PT SP	20	4.50
2432	"	100	HV PT SP CL	20	4.50
2433	"	80	HV HP PL	20	4.95
2442	244 Remington	90	HV PT SP	20	4.50
2552	25-20 Win.	86	HV Lead	50	5.60
2553	"	86	HV SP	50	6.20
2555	"	60	HV HP	50	6.55
2562	25 (6.35 mm.) AP	50	MC	50	4.40
2582	25-35 Win.	117	HV SP CL	20	3.90
2570	250 Savage	100	HV PT SP	20	4.20
2568	"	100	HV SP CL	20	4.20
6502	6.5 mm. Rem. Mag.	120	HV PT SP CL	20	6.15
2584	257 Roberts	117	HV SP CL	20	4.65
2641	264 Win. Magnum	100	HV PT SP CL	20	6.15
2642	"	140	HV PT SP CL	20	6.15
2701	270 Win.	100	HV PT SP	20	5.00
2702	"	150	HV SP CL	20	5.00

Index No.	Caliber	Bullet		No. In Box	Retail Per Box
		Wgt. Grs.	Style		
3003	300 Win. Mag.	180	HV PT SP CL	20	\$6.30
3035	303 Savage	180	HV SP CL	20	4.25
3085	303 British	215	HV SP	20	5.00
3095	"	180	HV SP CL	20	5.00
3086	308 Win.	110	HV PT SP	20	5.00
3087	"	150	HV PT SP CL	20	5.00
3088	"	180	HV PT SP CL	20	5.00
3089	"	180	HV SP CL	20	5.00
3102	8 mm. (7.9 mm.) Mauser	170	HV SP CL	20	5.00
3262	32 S & W	88	Lead	50	3.85
3265	32 S & W Long	98	Lead	50	4.05
3252	32 Short Colt	80	Lead	50	3.85
3254	32 Long Colt	82	Lead	50	4.05
3256	32 Colt New Police	100	Lead	50	4.05
3260	32 (7.65 mm.) Auto. Pistol	71	MC	50	5.05
3292	32 Remington	170	HV SP CL	20	4.05
3269	32-20 Win.	100	HV Lead	50	5.60
3270	"	100	HV SP	50	6.95
3278	32 Win. Spec.	170	HV HP CL	20	4.05
3279	"	170	HV SP CL	20	4.05
a 3288	32-40 Win.	165	HV SP	20	3.90
3484	348 Win.	200	HV SP CL	20	5.95
3592	35 Remington	150	HV PT SP CL	20	4.50
3589	"	200	HV SP CL	20	4.50
3500	350 Rem. Mag.	200	HV PT SP CL	20	6.15
3501	"	250	HV PT SP CL	20	6.15
3585	351 Win. SL	180	SP	50	8.45
3578	357 Magnum	158	HV SP	50	6.75
3576	"	158	HV MP	50	6.50
3575	"	158	HV Lead	50	5.70
3751	375 H & H Magnum	270	HV SP	20	7.20
3752	"	300	HV MC	20	7.20
3753	"	300	HV SP CL	20	7.20

2702	"	130	HV SP CL	20	5.00
2705	"	130	HV PT SP CL	20	5.00
2704	"	130	HV BP	20	5.00
2810	280 Remington	125	HV PT SP CL	20	5.00
2811	"	150	HV PT SP CL	20	5.00
2812	"	165	HV SP CL	20	5.00
7711	7 mm. Rem. Mag.	125	HV PT SP CL	20	6.15
7712	"	150	HV PT SP CL	20	6.15
7713	"	175	HV PT SP CL	20	6.15
2801	7 mm. Mauser	175	HV SP	20	5.00
3010	30 Carbine	110	HV SP	50	7.90
3020	30 (7.63 mm.) AP Mauser	85	MC	50	6.05
3052	30 (7.65 mm.) AP Luger	93	MC	50	6.05
3064	30-30 Win.	160	HV MC	20	3.95
3043	"	170	HV HP CL	20	3.95
3058	"	170	HV SP CL	20	3.95
3044	"	150	HV SP CL	20	3.95
3054	30 Remington	170	HV SP CL	20	3.95
3046	30-40 Krag	180	HV SP CL	20	5.00
3051	"	180	HV PT SP CL	20	5.00
3038	30-06 Spgfld.	220	HV SP CL	20	5.00
3033	"	150	HV PT SP CL	20	5.00
3077	"	150	HV BP	20	5.00
3080	"	180	HV BP	20	5.00
3025	"	125	HV PT SP	20	5.00
3056	"	180	HV SP CL	20	5.00
3039	"	180	HV PT SP CL	20	5.00
3060	"	110	HV PT SP	20	5.00
3079	" (Palma Match)	180	HV TH MC	20	6.35
3021	300 Savage	180	HV SP CL	20	4.85
3023	"	180	HV PT SP CL	20	4.85
3019	"	150	HV SP CL	20	4.85
3024	"	150	HV PT SP CL	20	4.85
3028	300 H & H Magnum	180	HV PT SP CL	20	6.30
a 3029	"	220	HV SP CL	20	6.30
3002	300 Win. Mag.	150	HV PT SP CL	20	6.30

3852	Auto. Pistol	124	MC	50	6.30
3853	380 Auto. Pistol	95	MC	50	5.15
3851	38 Automatic Colt Pistol (A)	130	MC	50	5.35
3849	38 Super Auto. Colt Pistol (B)	130	MC	50	5.35
3822	38 S & W	146	Lead	50	4.75
3844	38 Special	158	Lead	50	4.85
3841	"	200	Lead	50	5.05
3826	"	158	MP	50	6.00
3847	"	148	TM WC Lead	50	5.05
3862	"	158	TM RN Lead	50	4.95
3842	" (38-44)	158	HV Lead	50	5.35
3831	38 Colt New Police	150	Lead	50	4.75
3833	38 Short Colt	125	Lead	50	4.25
3835	38 Long Colt	150	Lead	50	4.75
3856	38-40 Win.	180	SP	50	8.25
4110	41 Magnum	210	SP	50	8.40
4111	"	210	Lead	50	7.35
4154	41 Long Colt	195	Lead	50	5.50
4410	44 Remington Magnum	240	Lead Gas-Check	50	8.50
4411	"	240	SP	50	8.75
4412	"	240	SP	20	3.50
4405	44 S & W Spec.	246	Lead	50	6.45
4409	44-40 Win.	200	SP	50	8.65
4440	444 Marlin	240	HV SP	20	4.85
4502	45 Colt	250	Lead	50	6.45
4504	45 Automatic	230	MC	50	6.90
4507	"	185	TM WC MC	50	7.15
4568	"	230	TM MC	50	7.25
4506	45 Auto. Rim	230	Lead	50	6.90
4553	45-70 Govt.	405	HV SP	20	5.25
4581	458 Win. Magnum	510	HV SP	20	8.75
4582	"	500	HV MC	20	13.40

a — Orders subject to stock on hand.

(A)—Adapted for Colt Military and Pocket Model Automatic Arms

(B)—Adapted for Colt Super Automatic Arms

BP — Bronze Point
HV — "High Velocity"
MC — Metal Case
SP — Soft Point

TH — Taper Heel
CL — "Core-Lokt"
MP — Metal Point
TM — "Targetmaster"

RN — Round Nose
WC — Wad Cutter
PT SP — Pointed Soft Point
AP — Automatic Pistol

Spec. — Special
SL — Self-Loading
PL — "Power-Lokt"
HP — Hollow Point

Remington, Core-Lokt, Fire Ball, Power-Lokt, Kleanbore, Power Pistol, Jet, are trademarks Registered U. S. Pat. Off.; Power-Pak, Post-Wad are trademarks of Remington Arms Company, Inc., Bridgeport, Connecticut, Peters, Victor, and Kramble Ball, are Reg. U. S. Pat. Off.; High Velocity is a trademark of Peters Cartridge Division, Remington Arms Company, Inc.