

**ANNOUNCING
A HOT NEW
RIM FIRE
CARTRIDGE FROM
REMINGTON-PETERS**

5 mm



REMINGTON RIM FIRE MAGNUM

**AND
TWO NEW
RIM FIRE
RIFLES**



Remington **DU PONT** *PETERS*

**REMINGTON BOLT ACTION
RIFLES IN NEW
5mm REMINGTON
RIM FIRE MAGNUM CALIBER**



**REMINGTON MODEL
591
CLIP REPEATER**



**REMINGTON MODEL
592
TUBULAR REPEATER**

**REMINGTON-PETERS ANNOUNCE
AN AMAZING GUN & AMMO VARMINT COMBO THAT
PACKS CENTER FIRE WALLOP AT RIM FIRE PRICES!**

The new Remington Models 591 and 592 bolt action rifles are chambered for the new sensational 5mm Remington Rim Fire Magnum cartridge. Why sensational? For these reasons. It's the fastest rim fire cartridge ever made (muzzle velocity 2100 feet per second) — the most accurate rim fire hunting cartridge and the only rim fire cartridge made with the super accurate "Power-Lokt" bullet (38 grain hollow point). It looks like a center fire cartridge and it has the accuracy of a center fire cartridge — great for small game, varmint hunting, and informal target shooting. Other outstanding features of the Models 591 and 592 are:

SIX EXTRA HEAVY ROTARY LUGS on the bolt engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Here is extra strength to handle the powerful 5mm Remington rim fire magnum cartridge. **BOLT COVER** at rear keeps out dirt and grit. **UNIQUE TWO STAGE EXTRACTOR** permits the bolt to completely enclose the cartridge head — assures utmost safety. **FULL SIZE** Monte Carlo stock with pistol grip looks and feels like a center fire rifle. **SIGHTS** are rugged, similar to those on big game rifles. Bead front sight and U notch lock-screw rear. **ROUND RECEIVER** means bedding into the stock can be more precise which, in turn, contributes to fine accuracy. The receiver is also grooved for tip-off 'scope mounts. **ORDNANCE STEEL BARREL** is precision rifled, crowned at the muzzle, polished and blued for good looks and long wear. **NON-SLIP THUMB SAFETY** is conveniently located at the right rear of the receiver. Positive safety — forward for fire, rearward for safe. Marked "F" for fire; "S" for safe. **TRUE REMINGTON QUALITY** and bull's-eye performance — that's what you get when you shoot these new rifles. Here's why: strength and rigidity of bolt, adjustable sights, match type trigger, round receiver for snug bedding, and precision rifled barrel; here's an accuracy combination that's hard to beat.



MATCH TRIGGER QUALITY

A good trigger pull is an important asset to any rifle. The lock time of the Models 591 and 592 is the fastest of any rim fire made today. What's lock time? It's the length of time measured in a millisecond that it takes to release the trigger sear and instant ignition. This means better accuracy, no trigger movement to pull the gun off target.

NOTE: In Models 591 and 592 Rifles, use 5mm Remington Rim Fire Magnum Cartridges Only.

And the
hot, new
Remington-Peters
5mm Remington
Rim Fire
Magnum!



From Remington-Peters, the developers of the 222, 223 and 7mm Mag. comes the most talked about rim fire cartridge ever . . . the 5mm Remington Rim Fire Magnum.

Remington's 5mm Rim Fire Magnum isn't something new. It's something revolutionary. Never before has a rim fire cartridge offered such speed and accuracy.

Available in both Remington and Peters brands, the 5mm Rim Fire Magnum has a 38 Grain "Power-Lokt"® Hollow Point Bullet.

CHECK THESE FEATURES AND BALLISTICS

- ✓ fastest rim fire cartridge ever!
- ✓ muzzle energy greater than the 45 automatic!
- ✓ best down range ballistics of any rim fire cartridge ever!
- ✓ hardest hitting rim fire manufactured today!

| | MUZZLE | 50 YARDS | 100 YARDS | 150 YARDS |
|--|--------|----------|-----------|-----------|
| VELOCITY (Feet per second) | 2100 | 1839 | 1605 | 1400 |
| ENERGY (Foot pounds) | 372 | 285 | 217 | 165 |
| TRAJECTORY (Inches) Rifle sighted in at 100 yards. | 0 | +0.9 | 0 | -4.3 |

*The only rim fire cartridge made with the super-accurate
"POWER-LOKT" hollow point bullet!*

Needle point accuracy with perfect expansion goes hand in hand. Varmint hunters everywhere have asked for this combination in a high velocity rim fire cartridge.

Now we have it. The 5mm Remington Rim Fire Magnum with a "Power-Lokt" Hollow Point Bullet: speed, accuracy and hitting power never before obtainable in a rim fire cartridge.



Take a close look at this 5mm "Power-Lokt" bullet recovered at 100 yards. It mushroomed to 38 caliber and retained over 84% of its original weight.



At 150 yards this recovered 5mm "Power-Lokt" retained over 90% of its original weight and mushroomed to 35 caliber.

SPECIFICATIONS—MODELS 591 & 592

| | |
|------------------------|--|
| ACTION | Bolt action. Model 591 clip repeater, Model 592 tubular repeater. |
| CALIBER | 5mm Remington Rim Fire Magnum. |
| CAPACITY | Model 591 4 in magazine, 1 in chamber. Model 592 10 in magazine, 1 in chamber. |
| BARREL | 24-inch ordnance steel, precision rifled, crowned at muzzle. |
| STOCK | Monte Carlo type, full size, butt plate and grip cap. |
| SIGHTS | Front; bead, dovetail adjustable. Rear; U notch type, lock-screw adjustable. |
| BOLT | Artillery style, lock-up at rear. 6 locking lugs, unique two stage extraction permits bolt to completely enclose cartridge head. |
| RECEIVER | Round, ordnance steel, grooved for 'scope mounts. |
| SAFETY | Positive, serrated thumb type, forward for fire, rearward for safe. |
| OVER-ALL LENGTH | 42 $\frac{3}{8}$ ". |
| WEIGHT | Model 591 5 lbs., Model 592 5 $\frac{1}{4}$ lbs. |

COMPARATIVE BALLISTICS

| CARTRIDGE | BULLET WEIGHT & STYLE | MUZZLE | | TRAJECTORY | | | WIND. DEFLECT. IN INCHES AT 100 YDS.** |
|-------------------------------|-----------------------|-------------------|-----------------|-------------------------------|----------|----------|--|
| | | VELOCITY F. P. S. | ENERGY FT. LBS. | Rifle sighted in at 100 yds.* | | | |
| | | | | 50 YDS. | 100 YDS. | 150 YDS. | |
| 5mm Remington Rim Fire Magnum | 38 GR. P.L.H.P. | 2100 | 372 | + .9 | 0 | -4.3 | 5.5 |
| 22 Long Rifle | 40 GR. LEAD | 1285 | 147 | +2.9 | 0 | -10.8 | 9.0 |

*DISTANCE ABOVE (+) OR BELOW (-) THE LINE OF SIGHT FOR IRON SIGHTS. .7 INCHES ABOVE THE BORE AXIS.
**ASSUME A WIND OF 15 M.P.H. PERPENDICULAR TO LINE OF FIRE. / P.L.H.P. — "POWER-LOKT" HOLLOW POINT.

Remington



PETERS



REMINGTON ARMS COMPANY, INC., BRIDGEPORT, CONNECTICUT 06602

In Canada: Remington Arms of Canada Limited, 45 Taymall Avenue, Toronto 18, Ontario, Canada.

"Remington," "Peters," "Power-Lokt" Reg. U. S. Pat. Off.

FORM NO. ARPA-2 • Printed in U.S.A.