

ZONES 1, 2, 3, 4 and 5

Remington AMMUNITION RETAIL PRICE LIST

with the famous
KLEANBORE
PRIMING



including 11% U. S. Excise Tax
EFFECTIVE JANUARY 10, 1962
(subject to change without notice)

Remington "EXPRESS" 12-16-20 GAUGE PLASTIC SHELLS

NOW FOR SALE AT SAME PRICE AS PAPER SHELLS

16 AND 20 GAUGE PLASTIC SHELLS ADDED
TO POWERFUL REMINGTON "EXPRESS" LINE
EXTRA LONG RANGE SHOTGUN SHELLS.

10-28-410 GAUGE SHELLS SUPPLIED WITH
PAPER BODY ONLY. "SP" LOAD NUMBER
IDENTIFIES PLASTIC SHELLS.

*Load No.	Gauge	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	RETAIL PER BOX	
						Zones 1-4	Zone 5

REMINGTON "EXPRESS" SHOTGUN SHELLS

RX10	10 Ga.	2 7/8	8	Blank	\$3.50	\$3.55
RX10	10 Ga.	2 7/8	4 3/4	1 5/8	2, 4	4.25	4.30
SP12	12 Ga.	2 3/4	3 3/4	1 1/4	BB, 2, 4, 5, 6, 7 1/2, 9	3.50	3.55
RX12	12 Ga.	2 3/4	3 3/4	1 1/4	BB, 2, 4, 5, 6, 7 1/2, 9	3.50	3.55
SP16	16 Ga.	2 3/4	3	1 1/8	2, 4, 5, 6, 7 1/2	3.20	3.25
RX16	16 Ga.	2 3/4	3	1 1/8	2, 4, 5, 6, 7 1/2	3.20	3.25
*RX16S	16 Ga.	2 3/8	3	1 1/8	2, 4, 5, 6, 7 1/2	3.20	3.25
SP16X	16 Ga.	2 3/4	3 1/4	1 1/8	4, 5, 6, 7 1/2	3.25	3.30
RAX16	16 Ga.	2 3/4	3 1/4	1 1/8	2, 4, 5, 6, 7 1/2, 9	3.25	3.30
SP20	20 Ga.	2 3/4	2 3/4	1	2, 4, 5, 6, 7 1/2, 9	3.05	3.10
RX20	20 Ga.	2 3/4	2 3/4	1	2, 4, 5, 6, 7 1/2, 9	3.05	3.10
RX28	28 Ga.	2 3/4	2 1/4	3/4	4, 6, 7 1/2, 9†	3.15	3.20
RX410	410 Ga.	2 1/2	1/2	4, 5, 6, 7 1/2, 9†	2.35	2.40
RX4103	410 Ga.	3	3/4	4, 5, 6, 7 1/2, 9†	2.75	2.80

*Load No.	Gauge	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	RETAIL PER BOX	
						Zones 1-4	Zone 5

REMINGTON "EXPRESS" MAGNUM BUCKSHOT

SP12S Mag	12 Ga.	2 3/4	4	00 Buck—12 Pellets	\$4.75	\$4.80
RX12S Mag	12 Ga.	2 3/4	4	00 Buck—12 Pellets	4.75	4.80
SP12H Mag	12 Ga.	3	4 1/2	00 Buck—15 Pellets	5.45	5.50
RX12H Mag	12 Ga.	3	4 1/2	00 Buck—15 Pellets	5.45	5.50
SP12H Mag	12 Ga.	3	4 1/2	4 Buck—41 Pellets	5.45	5.50

REMINGTON "EXPRESS" RIFLED SLUG

SP12RS	12 Ga.	2 3/4	3 3/4	1	Rifled Slug	5.25	5.30
RX12RS	12 Ga.	2 3/4	3 3/4	1	Rifled Slug	5.25	5.30
SP16RS	16 Ga.	2 3/4	3	7/8	Rifled Slug	5.00	5.05
RX16RS	16 Ga.	2 3/8	3	7/8	Rifled Slug	5.00	5.05
SP20RS	20 Ga.	2 3/4	2 3/4	5/8	Rifled Slug	4.80	4.85
RX20RS	20 Ga.	2 1/2	2 3/4	5/8	Rifled Slug	4.80	4.85
RX410RS	410 Ga.	2 1/2	1/2	Rifled Slug	4.50	4.55

REMINGTON "EXPRESS" MAGNUM LOADS

RX10 Mag	10 Ga.	3½	5	2	BB, 2, 4 (Mag)	7.25	7.30
SP12S Mag	12 Ga.	2¾	4	1½	2, 4, 5, 6, 7½ (Mag)	4.00	4.05
RX12S Mag	12 Ga.	2¾	4	1½	2, 4, 6 (Mag)	4.00	4.05
SP12H Mag	12 Ga.	3	4½	1⅞	BB, 2, 4, 5 (Mag)	4.75	4.80
RX12H Mag	12 Ga.	3	4½	1⅞	BB, 2, 4 (Mag)	4.75	4.80
SP12 Mag	12 Ga.	3	4¼	1⅝	BB, 2, 4, 5, 6 (Mag)	4.40	4.45
RX12 Mag	12 Ga.	3	4¼	1⅝	BB, 2, 4, 5, 6 (Mag)	4.40	4.45
SP16C Mag	16 Ga.	2¾	3½	1¼	2, 4, 6 (Mag)	3.50	3.55
RX16C Mag	16 Ga.	2¾	3½	1¼	2, 4, 6 (Mag)	3.50	3.55
SP20S Mag	20 Ga.	2¾	3	1⅞	2, 4, 6, 7½ (Mag)	3.20	3.25
RX20S Mag	20 Ga.	2¾	3	1⅞	2, 4, 6, 7½ (Mag)	3.20	3.25
SP20H Mag	20 Ga.	3	3¼	1¼	2, 4, 6, 7½ (Mag)	3.55	3.60
RX20H Mag	20 Ga.	3	3¼	1¼	2, 4, 6, 7½ (Mag)	3.55	3.60

REMINGTON "EXPRESS" BUCKSHOT

SP12BK	12 Ga.	2¾	3¾	00 Buck—9 Pellets	4.20	4.25
RX12BK	12 Ga.	2¾	3¾	00 Buck—9 Pellets	4.20	4.25
SP12BK	12 Ga.	2¾	3¾	0 Buck—12 Pellets	4.20	4.25
RX12BK	12 Ga.	2¾	3¾	0 Buck—12 Pellets	4.20	4.25
SP12BK	12 Ga.	2¾	3¾	1 Buck—16 Pellets	4.20	4.25
RX12BK	12 Ga.	2¾	3¾	1 Buck—16 Pellets	4.20	4.25
SP12BK	12 Ga.	2¾	3¾	4 Buck—27 Pellets	4.20	4.25
RX12BK	12 Ga.	2¾	3¾	4 Buck—27 Pellets	4.20	4.25
SP16BK	16 Ga.	2¾	3	1 Buck—12 Pellets	4.20	4.25
RX16BK	16 Ga.	2⅝	3	1 Buck—12 Pellets	4.20	4.25
SP20BK	20 Ga.	2¾	2¾	3 Buck—20 Pellets	4.20	4.25
RX20BK	20 Ga.	2½	2¾	3 Buck—20 Pellets	4.20	4.25

REMINGTON "SHUR SHOT" FIELD LOADS

S12	12 Ga.	2¾	3	1	4, 5, 6, 8	2.75	2.80
S12M	12 Ga.	2¾	3	1⅞	4, 5, 6, 8, 9	2.90	2.95
S12H	12 Ga.	2¾	3¼	1⅞	4, 5, 6, 7½, 8, 9	2.95	3.00
ST12H	12 Ga.	2¾	3¼	1¼	7½, 8	3.10	3.15
*S16	16 Ga.	2⅝	2½	1	4, 5, 6, 8, 9	2.60	2.65
S16H	16 Ga.	2¾	2¾	1⅞	4, 5, 6, 7½, 8, 9	2.75	2.80
S20	20 Ga.	2¾	2¼	⅞	4, 5, 6, 8, 9	2.45	2.50
S20M	20 Ga.	2¾	2½	1	4, 5, 6, 7½, 8, 9	2.65	2.70

REMINGTON "SHUR SHOT" SCATTER LOADS

SL12	12 Ga.	2⅝	3	1⅞	8	3.05	3.10
SL16	16 Ga.	2⅝	2½	1	8	2.75	2.80
SL20	20 Ga.	2½	2¼	⅞	8	2.60	2.65

REMINGTON "SHUR SHOT" TARGET LOADS

ST12M	12 Ga.	2¾	3	1⅞	7½, 8, 9	2.90	2.95
Maximum load for registered shoots							
ST12L	12 Ga.	2¾	2¾	1⅞	7½, 8, 9	2.90	2.95
ST16	16 Ga.	2¾	2½	1	9	2.60	2.65
ST20	20 Ga.	2¾	2¼	⅞	9	2.45	2.50

REMINGTON "EXPRESS" TARGET LOADS

RX28	28 Ga.	2¾	2¼	¾	9	3.15	3.20
RX410	410 Ga.	2½	½	9	2.35	2.40
RX4103	410 Ga.	3	¾	9	2.75	2.80

*In ordering, size of shot should follow load number.

†28 Ga. and 410 Ga. 9 Shot marked "Target Load."

≠NOTE: S16 load supplied for older 16 ga. guns with the shorter 2⅝" chambers. S16H load furnished for more modern 16 ga. guns with 2¾" chambers. S16-8 and S16-9 may be used for the regular target load in older guns with 2⅝" chambers.

REMINGTON ARMS COMPANY, INC., BRIDGEPORT 2, CONNECTICUT

AMMUNITION PLANT • BRIDGEPORT, CONN.

BRANCH WAREHOUSE — 3401 CHOUTEAU AVE., ST. LOUIS 3, MO.

ARMS PLANT — ILION, N. Y. TRAP AND TARGET PLANT — FINDLAY, OHIO

FAIR TRADE

The retail prices shown herein on loaded shotgun shells and loaded metallic cartridges have been established as *minimum* Fair Trade prices in all states having Fair Trade laws in effect. This price list constitutes the notice provided for in all Remington Fair Trade agreements.

RIM FIRE CARTRIDGES

REMINGTON "HI-SPEED" KLEANBORE MAXIMUM POWER — HIGHEST SPEED

Index No.	Packed 50 per box except where noted	BULLET Weight (Grains)	RETAIL PER BOX
1022	22 Short	29	\$.65
1122	22 Short, Hollow Point	27	.75
△1222	22 Short, ROCKET	15	.37
1322	22 Long	29	.70
1522	22 Long Rifle	40	.80
1622	22 Long Rifle, Hollow Point	36	.90
1822	22 W.R.F. (Rem. Spec.)	45	2.00

REMINGTON SPECIAL MATCH CARTRIDGES

6622	22 Long Rifle, Rifle Match	40	1.25
6822	22 Long Rifle, Pistol Match	40	1.25

REMINGTON SHOT CARTRIDGE

9322	22 Long Rifle, "Hi-Speed"	—	1.50
------	---------------------------	---	------

△ Packed 28 per box

REMINGTON STANDARD VELOCITY

Index No.	Packed 50 per box except where noted	BULLET Weight (Grains)	RETAIL PER BOX
5522	22 Short	29	\$.65
§5722	22 Short, Gallery Special, Spatter-Less	29	3.25
5822	22 Short, Spatter-Less	29	.65
6122	22 Long Rifle	40	.80
§6722	22 Short, Spatter-Less Improved	15	3.25
7522	22 Winchester, Automatic	45	2.00

REMINGTON BLANK CARTRIDGES

LOADED WITH A SPECIAL POWDER INSURING A LOUD REPORT

9022	22 Short, Rim Fire		.75
9032	32 Smith & Wesson, Center Fire		3.25
9238	38 Smith & Wesson, Center Fire		3.35
9538	38 Special, Center Fire		4.60
†9630	30-06 Springfield, Center Fire, Paper Bullet		4.75
9005	5 in 1 Blank		7.50

(for use in 38/40 and 44/40 Rifles and 38/40, 44/40 and 45 Colt Revolvers.)

§Packed 250 per box

†Packed 20 in a box

REMINGTON CENTER FIRE CARTRIDGES WITH "KLEANBORE" PRIMING

Packed 20 in a box except (*) which have 50 in a box

Index No.	Size	Bullet Wgt. Grs.	Detail	RETAIL PER BOX
0218	218 Bee*	46	HS M	\$ 6.90
0219	219 Zipper	56	HS M	3.60
0222	22 Hornet*	45	HS SP	6.70
0322	" "	45	HS M	6.70
0122	22 Rem. "Jet" Mag.	40	HS SP	6.50
0722	222 Remington	50	HS SP	3.15
0922	" "	50	HS MC	3.15
0522	222 Rem. Magnum	55	HS SP	3.45
0822	220 Swift	48	HS SP	3.85
0243	243 Win.	80	HS Pt SP	4.30
1243	" "	100	HS Pt SP CL	4.30

Index No.	Size	Bullet Wgt. Grs.	Detail	RETAIL PER BOX
4630	30-40 Krag	220	Exp SP CL	\$ 4.75
4930	"	180	HS SP CL	4.75
5030	"	180	HS Pt SP CL	4.75
5730	30-06 Spgfld.	220	Exp SP CL	4.75
5830	"	150	HS Pt SP CL	4.75
6030	"	150	HS BP	4.75
6130	"	180	HS BP	4.75
6230	"	125	HS Pt SP	4.75
6430	"	180	HS SP CL	4.75
6530	"	180	HS Pt SP CL	4.75

Index No.	Size	Bullet Wgt. Grs.	Detail	RETAIL PER BOX
6634	348 Win.	200	Exp SP CL	\$ 5.65
8035	35 Remington	150	HS Pt SP CL	4.30
8235	"	200	Exp M CL	4.30
8335	"	200	Exp SP CL	4.30
7335	351 Win. SL*	177	MC	8.05
7435	" *	180	SP	8.05
8835	357 Magnum*	158	HS MP OP	6.20
9835	" *	158	HS Lead OP	5.45
1375	375 H & H Magnum	270	SP	6.50
2375	"	300	MC	6.50
1000	8 mm Luger			

0244	244 Remington	75	HS Pt SP	4.30
1244	"	90	HS Pt SP	4.30
4244	"	90	HS BP	4.30
1325	25-20 Win.*	86	Lead	5.35
1525	" *	86	SP	5.90
1625	" *	60	HS M	6.25
4225	25 (6.35 mm.) AP*	50	MC OP	4.20
5325	257 Roberts	117	Exp SP CL	4.45
5425	"	100	HS Pt SP CL	4.45
6325	25-35 Win.	117	Exp SP CL	3.70
7125	250 Savage	100	HS Pt SP CL	4.00
7225	"	100	HS SP CL	4.00
7425	"	87	HS SP	4.00
1264	264 Win. Magnum	100	HS Pt SP CL	5.85
4264	"	140	HS Pt SP CL	5.85
8027	270 Win.	100	HS Pt SP	4.75
8127	"	150	HS SP CL	4.75
8327	"	130	HS Pt SP CL	4.75
8427	"	130	HS BP	4.75
1028	280 Remington	125	HS Pt SP CL	4.75
1128	"	150	HS Pt SP CL	4.75
1228	"	165	HS SP CL	4.75
1328	"	100	HS BP	4.75
1277	7 mm Rem. Mag.	150	HS Pt SP CL	5.85
1377	"	175	HS SP CL	5.85
8707	7 mm. Mauser	175	Exp SP	4.75
0230	30 (7.63 mm.) AP Mauser*	85	MC OP	5.75
0730	30 (7.65 mm.) Luger AP*	93	MC OP	5.75
1230	30-30 Win.	160	Exp MC	3.75
1330	"	170	Exp M CL	3.75
1430	"	170	Exp SP CL	3.75
1530	"	150	Exp SP CL	3.75
2630	30 Remington	170	Exp SP CL	3.75

6630	"	110	HS Pt SP	4.75
6730	"	180	Palma TH MC	6.05
7030	300 Savage	180	Exp SP CL	4.60
7230	"	180	Exp Pt SP CL	4.60
7330	"	150	HS SP CL	4.60
7430	"	150	HS BP	4.60
7530	"	150	HS Pt SP CL	4.60
7730	300 H & H Magnum	180	Match TH MC	7.45
7830	"	180	HS Pt SP CL	6.00
7930	"	220	Exp SP CL	6.00
8130	303 Savage	180	Exp SP CL	4.05
8330	303 British	215	Exp SP	4.75
9330	"	180	HS SP CL	4.75
6308	308 Win.	110	HS Pt SP	4.75
7308	"	150	HS Pt SP CL	4.75
8308	"	180	HS Pt SP CL	4.75
9308	"	180	HS SP CL	4.75
8908	8 mm. (7.9 mm.) Mauser	170	HS SP CL	4.75
8808	8 mm. Lebel	170	HS SP	5.40
1132	32 S & W*	88	Lead OP	3.65
1232	32 S & W Lg.*	98	Lead OP	3.85
1632	32 Short Colt*	80	Lead OP	3.65
1732	32 Long Colt*	82	Lead OP	3.85
2332	32 Colt New Police*	100	Lead OP	3.85
2632	32 (7.65 mm.) Auto. Pistol*	71	MC OP	4.80
5632	32 Remington	170	Exp SP CL	3.85
4232	32-20 Win.*	100	Lead OP	5.35
4632	" *	100	SP OP	6.60
4732	" *	80	HS M	7.15
5032	32 Win. Spec.	170	Exp M CL	3.85
5132	"	170	Exp SP CL	3.85
5832	32-40 Win.	165	SP	3.70
6434	348 Win.	150	HS SP	5.65

1009	9 mm. Luger Auto. Pistol*	124	MC OP	6.00
1238	380 Auto. Pistol*	95	MC OP	4.90
1438	38 Automatic Colt Pistol* (Reg. A)	130	MC OP	5.10
1638	38 Super Auto. Colt Pistol* (B)	130	HS MC OP	5.10
2338	38 S & W*	146	Lead OP	4.50
5138	38 Special*	158	Lead OP	4.60
5238	" *	200	Lead OP	4.80
5338	" *	158	MP OP	5.70
6138	" *	148	TM WC OP	4.80
6238	" *	158	TM RN OP	4.70
6538	" * (38-44)	158	HS Lead	5.10
6838	38 Special*	110	HWM Metal Penetrating	5.85
7138	38 Colt New Police*	150	Lead OP	4.50
7238	38 Short Colt*	125	Lead OP	4.05
7338	38 Long Colt*	150	Lead OP	4.50
8138	38-40 Win.*	180	SP OP	7.85
8438	38-55 Win.	255	SP	4.20
4341	41 Long Colt*	195	Lead OP	5.25
5844	44 Remington Magnum*	240	Lead Gas-Check OP	8.10
6844	" *	240	SP OP	8.35
6944	"	240	SP OP	3.35
5544	44 S & W Spec.*	246	Lead OP	6.15
5944	44-40 Win.*	200	SP OP	8.25
6345	45 Colt*	250	Lead OP	6.15
6645	45 Automatic*	230	MC OP	6.55
6745	" *	185	TM WC OP	6.80
6845	" *	230	TM MC OP	6.90
7545	45 Auto. Rim*	230	Lead OP	6.55
8245	45-70 Govt.	405	SP	5.00
1458	458 Win. Magnum	510	SP	7.95
2458	"	500	MC	12.15

BP — Bronze Pointed
 HS — "Hi-Speed"
 MC — Metal Case
 SP — Soft Point

TH — Taper Heel
 CL — "Core-Lokt"
 HWM — "Hi-Way Master"
 MP — Metal Point

OP — Oil-Proof
 TM — "Targetmaster"
 Exp — "Express"
 M — Mushroom

RN — Round Nose
 WC — Wad Cutter
 PT SP — Pointed Soft Point
 AP — Automatic Pistol

SPEC — Special
 SL — Self-Loading

Reg. A — Adapted for Colt Military and Pocket Model Automatic Arms
 B — Adapted for Colt Super Automatic Arms

Express, Shur Shot, Palma, Kleanbore, Targetmaster, Core-Lokt and Rocket are Reg. U.S. Pat Off.;

Hi-Way Master and Hi-Speed are trade marks of Remington Arms Company, Inc.

January 10, 1962

FORM #5R-37