

**REVISED**

EFFECTIVE APRIL 1, 1979

# Remington® AMMUNITION RETAIL PRICE LIST

11% FEDERAL TAX INCLUDED. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

## REMINGTON "EXPRESS" PLASTIC SHOTGUN SHELLS with "KLEANBORE" priming

| Index No.                                      | Gauge   | Length Shell Inches | Powder Equiv. Drams | Ozs. of Shot | Shot Size             | Suggested Retail Price Per Box | Index No.   | Gauge   | Length Shell Inches | Powder Equiv. Drams | Ozs. of Shot | Shot Size  | Suggested Retail Price Per Box |
|--|---------|---------------------|---------------------|--------------|-----------------------|--------------------------------|---|---------|---------------------|---------------------|--------------|--|--------------------------------|
| <b>"EXPRESS" EXTRA LONG RANGE LOADS</b>        |         |                     |                     |              |                       |                                | <b>"EXPRESS" MAGNUM BUCKSHOT LOADS — "POWER-PAKT"</b> |         |                     |                     |              |  |                                |
| SP10   | 10 Ga.  | 2½                  | 4¾                  | 1½           | 4                     | \$10.85                        | SP12SMag BK   | 12 Ga.  | 2¾                  | 4                   | ...          | 00 Buck — 12 Pellets<br>1 Buck — 20 Pellets                        | \$12.55                        |
| SP12   | 12 Ga.  | 2¾                  | 3¾                  | 1¼           | BB, 2, 4, 5, 6, 7½, 9 | 7.90                           | †SP12SMag BK-5PK                                      | 12 Ga.  | 2¾                  | 4                   | ...          | 00 Buck — 12 Pellets<br>1 Buck — 20 Pellets                        | 2.51                           |
| SP16   | 16 Ga.  | 2¾                  | 3¾                  | 1¼           | 4, 5, 6, 7½, 9        | 7.55                           | †SP12SMag BK-5PK                                      | 12 Ga.  | 2¾                  | 4                   | ...          | 00 Buck — 15 Pellets<br>1 Buck — 24 Pellets<br>4 Buck — 41 Pellets | 14.25                          |
| SP20   | 20 Ga.  | 2¾                  | 2¾                  | 1            | 4, 5, 6, 7½, 9        | 6.90                           | †SP12HMag BK-5PK                                      | 12 Ga.  | 3                   | 4½                  | ...          | 00 Buck — 15 Pellets<br>1 Buck — 24 Pellets<br>4 Buck — 41 Pellets | 2.85                           |
| SP28   | 28 Ga.  | 2¾                  | 2¼                  | ¾            | 6, 7½                 | 7.05                           | †SP12HMag BK-5PK                                      | 12 Ga.  | 3                   | 4½                  | ...          | 00 Buck — 15 Pellets<br>1 Buck — 24 Pellets<br>4 Buck — 41 Pellets | 2.85                           |
| SP410  | 410 Ga. | 2½                  | Max.                | ½            | 4, 6, 7½              | 5.55                           | †SP12HMag BK-5PK                                      | 12 Ga.  | 3                   | 4½                  | ...          | 00 Buck — 15 Pellets<br>1 Buck — 24 Pellets<br>4 Buck — 41 Pellets | 2.85                           |
| SP4103   | 410 Ga. | 3                   | Max.                | ½            | 4, 5, 6, 7½, 9        | 6.55                           |   |         |                     |                     |              |  |                                |
| <b>"NITRO MAG" HIGH-PERFORMANCE LOADS</b>      |         |                     |                     |              |                       |                                | <b>"SHUR SHOT" PLASTIC SHOTGUN SHELLS</b>             |         |                     |                     |              |  |                                |
| SP12SNM  | 12 Ga.  | 2¾                  | Max.                | 1½           | 2, 4                  | 10.85                          | *R12L   | 12 Ga.  | 2¾                  | 3¼                  | 1            | 4, 5, 6, 8   | 6.30                           |
| SP12NM   | 12 Ga.  | 3                   | 4                   | 1½           | 2, 4                  | 11.85                          | R12H  | 12 Ga.  | 2¾                  | 3¼                  | 1½           | 4, 5, 6, 7½, 8, 9  | 6.75                           |
| <b>"EXPRESS" MAGNUM LOADS</b>                  |         |                     |                     |              |                       |                                |   |         |                     |                     |              |  |                                |
| SP10Mag  | 10 Ga.  | 3½                  | Max.                | 2            | BB, 2, 4              | 18.40                          | RP12H   | 12 Ga.  | 2¾                  | 3¼                  | 1½           | 7½, 8  | 7.05                           |
| SP12SMag                                       | 12 Ga.  | 2¾                  | Max.                | 1½           | 2, 4, 5, 6            | 10.25                          | *R16  | 16 Ga.  | 2¾                  | 2½                  | 1            | 6, 8   | 6.30                           |
| SP12Mag  | 12 Ga.  | 3                   | 4                   | 1½           | 2, 4, 6               | 11.45                          | R16H  | 16 Ga.  | 2¾                  | 2¾                  | 1½           | 4, 5, 6, 7½, 8, 9  | 6.75                           |
| SP12HMag                                       | 12 Ga.  | 3                   | Max.                | 1¾           | BB, 2, 4              | 12.35                          | *R20  | 20 Ga.  | 2¾                  | 2½                  | ¾            | 6, 8   | 5.65                           |
| SP16CMag                                       | 16 Ga.  | 2¾                  | Max.                | 1¼           | 2, 4, 6               | 9.70                           | R20M  | 20 Ga.  | 2¾                  | 2½                  | 1            | 4, 5, 6, 7½, 8, 9  | 6.10                           |
| SP205Mag                                       | 20 Ga.  | 2¾                  | Max.                | 1¼           | 4, 6, 7½              | 8.25                           | <b>"SHUR SHOT" PLASTIC SCATTER LOADS</b>              |         |                     |                     |              |  |                                |
| SP20HMag                                       | 20 Ga.  | 3                   | Max.                | 1¼           | 2, 4, 6, 7½           | 9.30                           | RSL12   | 12 Ga.  | 2¾                  | 3                   | 1½           | 8  | 7.16                           |
| <b>STEEL SHOT WATERFOWL LOADS</b>              |         |                     |                     |              |                       |                                | <b>"RXP" PLASTIC TARGET LOADS</b>                     |         |                     |                     |              |  |                                |
| STL12  | 12 Ga.  | 2¾                  | Max.                | 1½           | 1, 2, 4               | 10.55                          | XR12M   | 12 Ga.  | 2¾                  | 3                   | 1½           | 7½, 8, 9   | 6.45                           |
| NEW STL12Mag                                   | 12 Ga.  | 3                   | Max.                | 1¼           | 1, 2, 4               | 13.20                          | XR12L   | 12 Ga.  | 2¾                  | 2¾                  | 1½           | 7½, 8, 8½, 9   | 6.45                           |
| <b>"EXPRESS" RIFLED SLUG</b>                   |         |                     |                     |              |                       |                                |   |         |                     |                     |              |  |                                |
| SP12RS-25PK                                    | 12 Ga.  | 2¾                  | 3¾                  | ¾            | Rifled Slug           | 12.95                          | XR20  | 20 Ga.  | 2¾                  | 2½                  | ¾            | 9  | 5.60                           |
| †SP12RS-5PK                                    | 12 Ga.  | 2¾                  | 3¾                  | ¾            | Rifled Slug           | 2.59                           | <b>PLASTIC TARGET LOADS</b>                           |         |                     |                     |              |  |                                |
| †SP16RS-5PK                                    | 16 Ga.  | 2¾                  | 3                   | ¾            | Rifled Slug           | 2.59                           | SP28  | 28 Ga.  | 2¾                  | 2                   | ¾            | 9  | 6.75                           |
| †SP20RS-5PK                                    | 20 Ga.  | 2¾                  | 2¾                  | ¾            | Rifled Slug           | 2.37                           | SP410   | 410 Ga. | 2½                  | Max.                | ½            | 9  | 5.55                           |
| †SP410RS-5PK                                   | 410 Ga. | 2½                  | Max.                | ½            | Rifled Slug           | 2.24                           | <b>PLASTIC INTERNATIONAL TARGET LOADS</b>             |         |                     |                     |              |  |                                |
| <b>"EXPRESS" BUCKSHOT LOADS — "POWER-PAKT"</b> |         |                     |                     |              |                       |                                |   |         |                     |                     |              |  |                                |
| SP12BK   | 12 Ga.  | 2¾                  | 3¾                  | ...          | 00 Buck — 9 Pellets   | 11.20                          | NSP12H  | 12 Ga.  | 2¾                  | 3¼                  | 1½           | 7½, 8 (Nickel)   | 8.20                           |
| SP12BK   | 12 Ga.  | 2¾                  | 3¾                  | ...          | 0 Buck — 12 Pellets   |                                | SP12H   | 12 Ga.  | 2¾                  | 3¼                  | 1½           | 7½, 8  | 7.00                           |
| SP12BK   | 12 Ga.  | 2¾                  | 3¾                  | ...          | 1 Buck — 16 Pellets   |                                |   |         |                     |                     |              |  |                                |
| SP12BK   | 12 Ga.  | 2¾                  | 3¾                  | ...          | 4 Buck — 27 Pellets   |                                |   |         |                     |                     |              |  |                                |
| NEW SP12BK-5PK                                 | 12 Ga.  | 2¾                  | 3¾                  | ...          | 000 Buck — 8 Pellets  | 2.24                           |   |         |                     |                     |              |  |                                |
| †SP12BK-5PK                                    | 12 Ga.  | 2¾                  | 3¾                  | ...          | 00 Buck — 9 Pellets   |                                |   |         |                     |                     |              |  |                                |
| †SP12BK-5PK                                    | 12 Ga.  | 2¾                  | 3¾                  | ...          | 0 Buck — 12 Pellets   |                                |   |         |                     |                     |              |  |                                |
| †SP12BK-5PK                                    | 12 Ga.  | 2¾                  | 3¾                  | ...          | 1 Buck — 16 Pellets   |                                |   |         |                     |                     |              |  |                                |
| †SP12BK-5PK                                    | 12 Ga.  | 2¾                  | 3¾                  | ...          | 4 Buck — 27 Pellets   |                                |   |         |                     |                     |              |  |                                |
| †SP16BK-5PK                                    | 16 Ga.  | 2¾                  | 3                   | ...          | 1 Buck — 12 Pellets   |                                | 2.24  |         |                     |                     |              |  |                                |
| †SP20BK-5PK                                    | 20 Ga.  | 2¾                  | 2¾                  | ...          | 3 Buck — 20 Pellets   | 2.21                           |   |         |                     |                     |              |  |                                |

All shells packed 25 per box, 500 per case (except where noted). † = Packed 5 per box, 250 per case

## REMINGTON RIM FIRE CARTRIDGES with "KLEANBORE" priming

| Index No.                            | Description   | Bullet Weight Grains | Style    | Suggested Retail Price Per Box | Index No.                              | Description  | Bullet Weight Grains | Style       | Suggested Retail Price Per Box |
|--------------------------------------|---|----------------------|----------|--------------------------------|--|--|----------------------|-------------|--------------------------------|
| <b>"HIGH VELOCITY" 22 CARTRIDGES</b> |   |                      |          |                                | <b>STANDARD VELOCITY 22 CARTRIDGES</b> |  |                      |             |                                |
| •1022                                | 22 Short, High Velocity                               | 29                   | Lead     | \$ 1.55                        | •5522                                  | 22 Short, Target                                     | 29                   | Lead        | \$ 1.55                        |
| •1122                                | 22 Short, High Velocity, Hollow Point                 | 27                   | Lead     | 1.65                           | •5722                                  | 22 Short, Gallery Special (250 in box)               | 29                   | Lead        | 7.28                           |
| •1322                                | 22 Long, High Velocity                                | 29                   | Lead     | 1.65                           | •NP57                                  | Same as 5722 except Nickel Plated                    | 29                   | Lead        | 7.75                           |
| •1522                                | 22 Long Rifle, High Velocity                          | 40                   | Lead     | 1.74                           | •6722                                  | 22 Short, New and Improved Spatter-Less (250 in box) | 15                   | Spec. Comp. | 7.28                           |
| •1500                                | 22 Long Rifle, High Velocity (100 Pack)               | 40                   | Lead     | 3.48                           | •NP67                                  | Same as 6722 except Nickel Plated                    | 15                   | Spec. Comp. | 7.75                           |
| •1622                                | 22 Long Rifle, High Velocity Hollow Point             | 36                   | Lead     | 1.92                           | •6122                                  | 22 Long Rifle, Target                                | 40                   | Lead        | 1.74                           |
| •1600                                | 22 Long Rifle, High Velocity, Hollow Point (100 pack) | 36                   | Lead     | 3.84                           | •6100                                  | 22 Long Rifle, Target (100 pack)                     | 40                   | Lead        | 3.48                           |
| NEW •1722                            | Yellow Jacket-22LR Hyper Velocity                     | 33                   | T.C.H.P. | 2.10                           | 7522                                   | 22 Win. Automatic                                    | 45                   | Lead        | 5.54                           |
| •1822                                | 22 W.R.F. (Remington Special), High Velocity          | 45                   | Lead     | 5.06                           | <b>BLANK CARTRIDGES</b>                |  |                      |             |                                |
| •1050                                | 5 mm Remington Rim Fire Magnum High Velocity          | 38                   | P.L.H.P. | 8.67                           | 9022                                   | 22 Short, Rim Fire (250 in box)                      | —                    | —           | 10.00                          |
| <b>SPECIAL MATCH CARTRIDGES</b>      |   |                      |          |                                | 32 BLNK                                | 32 S. & W., Center Fire                              | —                    | —           | 9.45                           |
| •6600                                | 22 Long Rifle, Match — for Rifles, (100 pack)         | 40                   | Lead     | 5.54                           | 38 SWBL                                | 38 S. & W., Center Fire                              | —                    | —           | 11.45                          |
| •6800                                | 22 Long Rifle, Match — for Pistols (100 pack)         | 40                   | Lead     |                                | 38 BLNK                                | 38 Special, Center Fire                              | —                    | —           | 11.50                          |
| <b>SHOT CARTRIDGE</b>                |   |                      |          |                                |  |  |                      |             |                                |
| •9322                                | 22 Long Rifle, High Velocity, Rim Fire                |                      | Dust     | 3.60                           |  |  |                      |             |                                |

P.L.H.P. = Power-Lokt, Hollow Point.  
T.C.H.P. = Truncated Cone Hollow Point.

\*Subject to stock on hand. All cartridges packed 50 per box except where otherwise noted.  
•Retail recordkeeping required for these items under the Gun Control Act of 1968.

Remington, Shur Shot, Power Piston, Fire Ball, Power-Lokt, Kleanbore, Accelerator, Targetmaster, Core-Lokt, Jet, Power-Pakt, Nitro Mag, RXP are trademarks registered in the U.S. Pat. and Tm. Off. High Velocity, Express, Spatter-Less, Yellow Jacket, Target are trademarks of Remington Arms Company, Inc.

# Remington.



Remington Arms Company, Inc., Bridgeport, Connecticut 06602

**CENTER FIRE RIFLE CARTRIDGES**

| Index No.  | Cartridge                        | Wgt. Grs.  | Bullet Style   | No. In Box   | Suggested Retail Price Per Box  |
|--|----------------------------------|--|--|--|---|
| R17REM   | 17 Remington Power-Lokt          | 25   | H.P.   | 20   | \$ 8.96   |
| •R22HN1<br>•R22HN2   | 22 Hornet                        | 45<br>45   | Ptd. S.P.<br>H.P.  | 50<br>50   | 16.55   |
| •R222R1<br>•R222R2<br>•R222R3  | 222 Remington Power-Lokt         | 50<br>50<br>50   | Ptd. S.P.<br>M.C.<br>H.P.  | 20<br>20<br>20                                     | 7.05<br>7.05<br>7.70  |
| R222M1<br>R222M2   | 222 Remington Magnum Power-Lokt  | 55<br>55   | Ptd. S.P.<br>H.P.  | 20<br>20   | 7.98<br>8.55  |
| R223R1<br>R223R2   | 223 Remington Power-Lokt         | 55<br>55   | Ptd. S.P.<br>H.P.  | 20<br>20   | 7.75<br>8.30  |
| R22501<br>R22502   | 22-250 Remington Power-Lokt      | 55<br>55   | Ptd. S.P.<br>H.P.  | 20<br>20   | 7.75<br>8.30  |
| R6MM1<br>R6MM2<br>R6MM3<br>R6MM4   | 6mm Remington Power-Lokt         | 80<br>80<br>90<br>100                                      | Ptd. S.P.<br>H.P.<br>Ptd. S.P.<br>Ptd. S.P.  | 20<br>20<br>20<br>20                               | 9.65<br>10.25<br>9.65<br>9.65   |
| R243W1<br>R243W2<br>R243W3   | 243 Win. Power-Lokt              | 80<br>80<br>100  | Ptd. S.P.<br>H.P.<br>Ptd. S.P.   | 20<br>20<br>20                                     | 9.65<br>10.25<br>9.65   |
| R25061<br>R25062<br>R25063   | 25-06 Remington Power-Lokt       | 87<br>100<br>120   | H.P.<br>Ptd. S.P.<br>Ptd. S.P.   | 20<br>20<br>20                                     | 10.50   |
| R25202   | 25-20 Win.                       | 86   | S.P.   | 50   | 15.65   |
| •R2535W  | 25-35 Win. Core-Lokt             | 117  | S.P.   | 20   | 10.70   |
| R250SV   | 250 Savage                       | 100  | Ptd. S.P.  | 20   | 9.80  |
| R257   | 257 Roberts Core-Lokt            | 117  | S.P.   | 20   | 10.80   |
| R65MM2   | 6.5mm Remington Magnum Core-Lokt | 120  | Ptd. S.P.  | 20   | 15.65   |
| R264W1<br>R264W2   | 264 Win. Magnum Core-Lokt        | 100<br>140   | Ptd. S.P.<br>Ptd. S.P.   | 20<br>20   | 13.50<br>13.50  |
| R270W1<br>R270W2<br>R270W3<br>R270W4   | 270 Win. Core-Lokt               | 100<br>130<br>130<br>150                                   | Ptd. S.P.<br>Ptd. S.P.<br>Br. Pt. S.P.   | 20<br>20<br>20<br>20                               | 10.50<br>10.50<br>11.05<br>10.50  |
| R280R1<br>R280R2   | 280 Remington Core-Lokt          | 150<br>165   | Ptd. S.P.<br>S.P.  | 20<br>20   | 10.90   |
| NEW R7M061   | 7mm Express Remington Core-Lokt  | 150  | Ptd. S.P.  | 20   | 10.90   |
| R7MM1<br>R7MM2<br>R7MM3  | 7mm Remington Magnum Core-Lokt   | 125<br>150<br>175  | Ptd. S.P.<br>Ptd. S.P.<br>Ptd. S.P.  | 20<br>20<br>20                                     | 13.00   |
| R7MSR  | 7mm Mauser                       | 175  | S.P.   | 20   | 10.70   |
| •R30CAR  | 30 Carbine                       | 110  | S.P.   | 50   | 16.80   |
| R30REM   | 30 Remington Core-Lokt           | 170  | S.P.   | 20   | 10.55   |
| •R30301<br>•R30302<br>•R30303<br>NEW •R3030A   | 30-30 Win. Core-Lokt             | 150<br>170<br>170<br>55                                    | S.P.<br>S.P.<br>H.P.<br>Accelerator  | 20<br>20<br>20<br>20                               | 8.20<br>8.20<br>8.20<br>9.10  |
| R30401<br>R30402   | 30-40 Krag Core-Lokt             | 180<br>180   | S.P.<br>Ptd. S.P.  | 20<br>20   | 11.05   |
| R30061<br>R30062<br>R30063<br>R30064<br>R30065<br>R30066<br>R30067<br>NEW R3006B<br>R30069 | 30-06 Springfield Core-Lokt      | 125<br>150<br>150<br>180<br>180<br>180<br>220<br>165<br>55 | Ptd. S.P.<br>Ptd. S.P.<br>Br. Pt.<br>S.P.<br>Ptd. S.P.<br>Br. Pt. S.P.<br>S.P.<br>Ptd. S.P.<br>Ptd. S.P. | 20<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20 | 10.50<br>10.50<br>11.10<br>10.50<br>10.50<br>11.10<br>10.50<br>10.50<br>11.65 |
| R30SV1<br>R30SV2<br>R30SV3<br>R30SV4   | 300 Savage Core-Lokt             | 150<br>150<br>180<br>180                                   | S.P.<br>Ptd. S.P.<br>S.P.<br>Ptd. S.P.   | 20<br>20<br>20<br>20                               | 10.55   |
| R300HH   | 300 H. & H. Magnum Core-Lokt     | 180  | Ptd. S.P.  | 20   | 14.05   |
| R300W1<br>R300W2   | 300 Win. Magnum Core-Lokt        | 150<br>180   | Ptd. S.P.<br>Ptd. S.P.   | 20<br>20   | 13.70   |
| R303B1   | 303 British Core-Lokt            | 180  | S.P.   | 20   | 10.75   |
| R308W1<br>R308W2<br>R308W3   | 308 Win. Core-Lokt               | 150<br>180<br>180  | Ptd. S.P.<br>S.P.<br>Ptd. S.P.   | 20<br>20<br>20                                     | 10.50   |
| R6MSR  | 8mm Mauser Core-Lokt             | 170  | S.P.   | 20   | 10.80   |
| R8MM1<br>R8MM2   | 8mm Remington Magnum Core-Lokt   | 185<br>220   | Ptd. S.P.<br>Ptd. S.P.   | 20<br>20   | 15.35   |

| Index No.          | Cartridge                      | Wgt. Grs.  | Bullet Style      | No. In Box | Suggested Retail Price Per Box |
|--------------------|--------------------------------|------------|-------------------|------------|--------------------------------|
| •R32201<br>•R32202 | 32-20 Win.                     | 100<br>100 | Lead S.P.         | 50<br>50   | \$12.75<br>15.75               |
| R32WS2             | 32 Win. Special Core-Lokt      | 170        | S.P.              | 20         | 8.75                           |
| •R35R1<br>•R35R2   | 35 Remington Core-Lokt         | 150<br>200 | Ptd. S.P.<br>S.P. | 20<br>20   | 9.70                           |
| R350M1             | 350 Remington Magnum Core-Lokt | 200        | Ptd. S.P.         | 20         | 15.10                          |
| R375M1<br>R375M2   | 375 H. & H. Magnum             | 270<br>300 | S.P.<br>M.C.      | 20<br>20   | 16.25                          |
| •R3840W            | 38-40 Win.                     | 180        | S.P.              | 50         | 20.00                          |
| R444M              | 444 Marlin                     | 240        | S.P.              | 20         | 11.30                          |
| •R4440W            | 44-40 Win.                     | 200        | S.P.              | 50         | 21.10                          |
| R4570G             | 45-70 Government               | 405        | S.P.              | 20         | 11.90                          |
| R458W1<br>R458W2   | 458 Win. Magnum                | 500<br>510 | M.C.<br>S.P.      | 20<br>20   | 33.30<br>21.95                 |

**CENTER FIRE PISTOL AND REVOLVER CARTRIDGES**

Retail record keeping required for all below items under the Gun Control Act of 1968.

| Index No.   | Cartridge                            | Wgt. Grs.   | Bullet Style   | No. In Box   | Suggested Retail Price Per Box  |
|---|--------------------------------------|---|--|--|---|
| R22JET  | 22 Remington "Jet"                   | 40  | S.P.   | 50   | 17.50   |
| R221F   | 221 Remington "Fire Ball"            | 50  | Ptd. S.P.  | 20   | 7.95  |
| R25AP   | 25 (6.5mm) Auto.                     | 50  | M.C.   | 50   | 10.20   |
| R30LUG  | 30 (7.65mm) Luger                    | 93  | M.C.   | 50   | 16.35   |
| R32SW   | 32 S. & W.                           | 88  | Lead   | 50   | 9.55  |
| R32SWL  | 32 S. & W. Long                      | 98  | Lead   | 50   | 9.85  |
| R32SC   | 32 Short Colt                        | 80  | Lead   | 50   | 9.45  |
| R32LC   | 32 Long Colt                         | 82  | Lead   | 50   | 9.85  |
| R32AP   | 32 (7.65mm) Auto.                    | 71  | M.C.   | 50   | 11.60   |
| R357M1<br>R357M2<br>R357M3<br>R357M4<br>R357M5<br>R357M6<br>NEW R357M7                                    | 357 Magnum                           | 125<br>158<br>158<br>158<br>158<br>158<br>110                     | S.J.H.P.<br>S.J.H.P.<br>S.P.<br>M.P.<br>Lead<br>Lead<br>S.J.H.P.                           | 50<br>50<br>50<br>50<br>50<br>50<br>50                   | 15.30<br>15.30<br>15.30<br>15.10<br>12.95<br>12.95<br>15.30                                     |
| R9MM1<br>R9MM2  | 9mm Luger                            | 115<br>124  | J.H.P.<br>M.C.   | 50<br>50   | 14.45   |
| R380A1<br>R380AP  | 380 Automatic                        | 88<br>95  | J.H.P.<br>M.C.   | 50<br>50   | 11.85   |
| R38ACP  | 38 Auto. Colt Pistol (A)             | 130   | M.C.   | 50   | 12.80   |
| NEW R38SUP<br>R38SU1  | 38 Super Auto. Colt Pistol (B) (+P)  | 130<br>115  | M.C.<br>J.H.P.   | 50<br>50   | 12.60<br>13.10  |
| R38SW   | 38 S. & W.                           | 146   | Lead   | 50   | 10.95   |
| R38S1<br>R38S2<br>R38S3<br>R38S4<br>R38S5<br>R38S6<br>R38S7<br>R38S8<br>R38S9<br>NEW R38S10<br>NEW R38S12 | 38 Special (+P)                      | 95<br>125<br>148<br>158<br>158<br>158<br>158<br>200<br>110<br>158 | S.J.H.P.<br>S.J.H.P.<br>Lead<br>Lead<br>Lead<br>Lead<br>M.P.<br>Lead<br>S.J.H.P.<br>L.H.P. | 50<br>50<br>50<br>50<br>50<br>50<br>50<br>50<br>50<br>50 | 13.95<br>13.95<br>11.45<br>11.25<br>11.00<br>11.25<br>13.95<br>12.20<br>11.75<br>13.95<br>13.70 |
| R38SC   | 38 Short Colt                        | 125   | Lead   | 50   | 10.75   |
| R41MG1<br>R41MG2  | 41 Remington Magnum                  | 210<br>210  | S.P.<br>Lead   | 50<br>50   | 20.10<br>17.20  |
| R44MG1<br>R44MG2<br>R44MG3<br>R44MG4  | 44 Remington Magnum Gas-Check        | 240<br>240<br>240<br>240  | Lead S.P.<br>S.J.H.P.<br>Lead  | 50<br>20<br>20<br>50                                     | 19.50<br>8.00<br>8.00<br>16.68  |
| R44SW   | 44 S. & W. Special                   | 246   | Lead   | 50   | 15.40   |
| R45C  | 45 Colt                              | 250   | Lead   | 50   | 15.65   |
| R45AP1<br>R45AP2<br>R45AP3<br>R45AP4  | 45 Automatic Targetmaster, Wadcutter | 185<br>185<br>230<br>230  | M.C.<br>J.H.P.<br>M.C.<br>M.C.   | 50<br>50<br>50<br>50                                     | 16.45<br>16.45<br>16.45<br>15.95  |
| R45AR   | 45 Auto. Rim                         | 230   | Lead   | 50   | 17.00   |

Ammunition with (+P) on the case head stamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

Br. Pt. = Bronze Point      M.P. = Metal Point      S.W.C. = Semi Wadcutter      S.L. = Self Loading      L.H.P. = Lead Hollow Point  
M.C. = Metal Case      T.M. = Targetmaster      W.C. = Wadcutter      P.L. = Power-Lokt  
S.P. = Soft Point      S.J. = Semi-Jacketed      Ptd. S.P. = Pointed Soft Point      H.P. = Hollow Point  
C.L. = Core-Lokt      R.N. = Round Nose      Spec. = Special      A.P. = Automatic Pistol

(A) = Adapted for Colt Military and Pocket Model Automatic Arms. (B) = Adapted for Colt Super Automatic Arms.

•Retail recordkeeping required for these items under the Gun Control Act of 1968.

1979 DISTRIBUTOR CONFIDENTIAL PRICES FOR PROMOTIONAL AMMUNITION  
EFFECTIVE APRIL 1, 1979

PROMOTIONAL SHOTGUN SHELLS

| <u>Index No.</u>               | <u>Gauge</u> | <u>Length Shell Inches</u> | <u>Powder Equiv. Drams</u> | <u>Ozs. Shot</u> | <u>Size Shot</u> | <u>Avg. Wt. /Case Lbs.</u> | <u>Distributor Carload Price Delivered</u> |                |
|--------------------------------|--------------|----------------------------|----------------------------|------------------|------------------|----------------------------|--|----------------|
|                                |              |                            |                            |                  |                  |                            | <u>Per M</u>                               | <u>Per Box</u> |
| Dove/Quail Field Loads         |              |                            |                            |                  |                  |                            |  |                |
| DQ12                           | 12           | 2-3/4                      | 3-1/4                      | 1                | 8                | 48                         | \$133.20                                   | \$3.20         |
| DQ16                           | 16           | 2-3/4                      | 2-1/2                      | 1                | 8                | 47                         | \$132.40                                   | \$3.10         |
| DQ20                           | 20           | 2-3/4                      | 2-1/2                      | 7/8              | 8                | 41                         | \$121.60                                   | \$3.00         |
| Rabbit/Squirrel Field Loads    |              |                            |                            |                  |                  |                            |  |                |
| RS12                           | 12           | 2-3/4                      | 3-1/4                      | 1                | 6                | 48                         | \$133.20                                   | \$3.10         |
| Duck/Pheasant Long Range Loads |              |                            |                            |                  |                  |                            |  |                |
| DP12                           | 12           | 2-3/4                      | 3-3/4                      | 1-1/4            | 4, 6             | 58                         | \$168.40                                   | \$4.20         |
| DP16                           | 16           | 2-3/4                      | 3-1/4                      | 1-1/8            | 6                | 52                         | \$161.60                                   | \$4.00         |
| DP20                           | 20           | 2-3/4                      | 2-3/4                      | 1                | 6                | 46                         | \$148.80                                   | \$3.70         |

Quantity Requirement: Carload or in combination with other product to make a full carload.

PROMOTIONAL RIM FIRE CARTRIDGES

"Thunderbolt" Long Rifle "High Speed"

| <u>Index No.</u> | <u>Bullet</u> |              | <u>Qty M</u> | <u>Case Weight (Lbs.)</u> |    | <u>Distributor Carload Price Delivered</u> |                |
|------------------|---------------|--------------|--------------|---------------------------|----|--|----------------|
|                  | <u>Wt Grs</u> | <u>Style</u> |              |                           |    | <u>Per M</u>                               | <u>Per Box</u> |
| ● TB22           | 40            | Lead         | 5            |                           | 40 | \$ 18.50                                   | \$ .92         |

● Retail recordkeeping required for this item under the Gun Control Act of 1968.

Quantity Requirement: Minimum order for 2,000M in combination with other product to make a full carload.